

**MySQL 8** ..... 3  
***my.cnf*** ..... 3  
***systemd*** ..... 3



# MySQL 8

- /app/mysql zip
- DATA /app/mysql\_data 가

## my.cnf

```
###
default-authentication-plugin=mysql_native_password

datadir=/app/mysql_data
socket=/tmp/mysql.sock

log-error=/var/log/mysqld.log
pid-file=/app/mysql/mysqld.pid

###
lower_case_table_names=1

### Password validation (
validate_password.length=8
validate_password.mixed_case_count=0
validate_password.number_count=0
validate_password.policy=LOW
validate_password.special_char_count=0

# EOF
```

## systemd

systemd .

```
[Unit]
Description=MySQL Server
Documentation=man:mysqld(8)
Documentation=http://dev.mysql.com/doc/refman/en/using-systemd.html
After=network.target
After=syslog.target

[Install]
WantedBy=multi-user.target

[Service]
User=mysql
```

```
Group=mysql
```

```
# Have mysqld write its state to the systemd notify socket
Type=notify
```

```
# Disable service start and stop timeout logic of systemd for mysqld
service.
TimeoutSec=0
```

```
# Start main service
ExecStart=/app/mysql/bin/mysqld --defaults-file=/etc/my.cnf $MYSQLD_OPTS
```

```
# Use this to switch malloc implementation
EnvironmentFile=-/etc/sysconfig/mysql
```

```
# Sets open_files_limit
LimitNOFILE = 10000
```

```
Restart=on-failure
```

```
RestartPreventExitStatus=1
```

```
# Set environment variable MYSQLD_PARENT_PID. This is required for restart.
Environment=MYSQLD_PARENT_PID=1
```

```
PrivateTmp=false
```

```
chmod 644 /usr/lib/systemd/system/mysqld.service
systemctl enable mysqld.service
```

가 PATH

```
export PATH="/app/mysql/bin:$PATH"
```

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: [https://atl.kr/dokuwiki/doku.php/mysql\\_8\\_%EA%B8%B0%EB%B3%B8%EC%84%A4%EC%A0%95%EC%82%AC%ED%95%AD?rev=1591589078](https://atl.kr/dokuwiki/doku.php/mysql_8_%EA%B8%B0%EB%B3%B8%EC%84%A4%EC%A0%95%EC%82%AC%ED%95%AD?rev=1591589078)

Last update: 2020/06/08 04:04

