

MySQL 8 3
..... 4

MySQL 8

ERROR 1819 (HY000): Your password does not satisfy the current policy requirements

MySQL 8

```
mysql> SHOW VARIABLES LIKE 'validate_password%';
+-----+-----+
| Variable_name | Value |
+-----+-----+
| validate_password.check_user_name | OFF |
| validate_password.dictionary_file | |
| validate_password.length | 8 |
| validate_password.mixed_case_count | 1 |
| validate_password.number_count | 1 |
| validate_password.policy | MEDIUM |
| validate_password.special_char_count | 1 |
+-----+-----+
7 rows in set (0.00 sec)
```

- 8
- 1 /
- 1
- 1

validate_password.check_user_name ON

validate_password.policy

- LOW 8
 - MEDIUM 1, 1, 1, 1 가
 - STRONG 가 4
- validate_password.length 가
 validate_password.number_count, validate_password.mixed_case_count, validate_password.special_char_count
 validate_password.dictionary_file

: <https://dev.mysql.com/doc/refman/8.0/en/validate-password.html>

DDL 가 .

```
mysql> SET GLOBAL validate_password_policy=LOW;
mysql> SET GLOBAL validate_password_length=12;
```

my.cnf

```
[mysqld]
#
# Remove leading # and set to the amount of RAM for the most important data
# cache in MySQL. Start at 70% of total RAM for dedicated server, else 10%.
# innodb_buffer_pool_size = 128M
#
# Remove the leading "# " to disable binary logging
# Binary logging captures changes between backups and is enabled by
# default. It's default setting is log_bin=binlog
# disable_log_bin
#
# Remove leading # to set options mainly useful for reporting servers.
# The server defaults are faster for transactions and fast SELECTs.
# Adjust sizes as needed, experiment to find the optimal values.
# join_buffer_size = 128M
# sort_buffer_size = 2M
# read_rnd_buffer_size = 2M
#
# Remove leading # to revert to previous value for
default_authentication_plugin,
# this will increase compatibility with older clients. For background, see:
#
https://dev.mysql.com/doc/refman/8.0/en/server-system-variables.html#sysvar\_
default\_authentication\_plugin
# default-authentication-plugin=mysql_native_password
default-authentication-plugin=mysql_native_password

datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock

log-error=/var/log/mysqld.log
pid-file=/var/run/mysqld/mysqld.pid

lower_case_table_names=1
```

```
## Password validation
validate_password.length=8
validate_password.mixed_case_count=0
validate_password.number_count=0
validate_password.policy=LOW
validate_password.special_char_count=0

# EOF
```

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/mysql_8_%EC%95%94%ED%98%B8_%EB%B3%B5%EC%9E%A1%EC%84%B1_%EC%84%A4%EC%A0%95?rev=1581997826

Last update: 2020/02/18 03:50

