

MySQL 8 3

 가 4

..... 5

MySQL 8

MySQL 8

caching_sha2_password

가

```
//
this authentication plugin is not supported

Authentication plugin 'caching_sha2_password' cannot be loaded:
```

가

가

mysql 8

caching_sha2_password가

```
mysql> select host, user, plugin, authentication_string,
password_last_changed from user;
+-----+-----+-----+-----+-----+
| host      | user                | plugin                | authentication_string | password_last_changed |
+-----+-----+-----+-----+-----+
| localhost | mysql.infoschema    | caching_sha2_password | $A$005$THISISACOMBINATIONOFINVALIDSALTANDPASSWORDTHATMUSTNEVERBRBEUSED | 2018-09-11 18:20:19 |
| localhost | mysql.session       | caching_sha2_password | $A$005$THISISACOMBINATIONOFINVALIDSALTANDPASSWORDTHATMUSTNEVERBRBEUSED | 2018-09-11 18:20:19 |
| localhost | mysql.sys           | caching_sha2_password | $A$005$THISISACOMBINATIONOFINVALIDSALTANDPASSWORDTHATMUSTNEVERBRBEUSED | 2018-09-11 18:20:19 |
| localhost | root                | caching_sha2_password | $A$005$THISISACOMBINATIONOFINVALIDSALTANDPASSWORDTHATMUSTNEVERBRBEUSED | 2018-09-12 10:28:23 |
+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```



```
default_authentication_plugin
# default-authentication-plugin=mysql_native_password
default-authentication-plugin=mysql_native_password
```

```
my.cnf                                default-authentication-
plugin=mysql_native_password
가
```

- https://dev.mysql.com/doc/refman/8.0/en/server-system-variables.html#sysvar_default_authentication_plugin
- <http://minsql.com/mysql8/C-2-A-authenticationPlugin/>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/mysql_8_%EC%9D%B8%EC%A6%9D_%ED%94%8C%EB%9F%AC%EA%B7%B8%EC%9D%B8_%EC%95%94%ED%98%B8%EB%B0%A9%EC%8B%9D_%EB%B3%80%EA%B2%BD?rev=1581998278

Last update: 2020/02/18 03:57

