

MySQL 8 RPM 3

my.cnf 3

/usr/lib/systemd/system/mysql.service 3

/usr/lib/systemd/system/mysqld@.service 5

/etc/logrotate.d/mysql 6

MySQL 8 RPM

MySQL 8 RPM

my.cnf

```
# For advice on how to change settings please see
# http://dev.mysql.com/doc/refman/8.0/en/server-configuration-defaults.html

[mysqld]
#
# Remove leading # and set to the amount of RAM for the most important data
# cache in MySQL. Start at 70% of total RAM for dedicated server, else 10%.
# innodb_buffer_pool_size = 128M
#
# Remove the leading "# " to disable binary logging
# Binary logging captures changes between backups and is enabled by
# default. It's default setting is log_bin=binlog
# disable_log_bin
#
# Remove leading # to set options mainly useful for reporting servers.
# The server defaults are faster for transactions and fast SELECTs.
# Adjust sizes as needed, experiment to find the optimal values.
# join_buffer_size = 128M
# sort_buffer_size = 2M
# read_rnd_buffer_size = 2M
#
# Remove leading # to revert to previous value for
default_authentication_plugin,
# this will increase compatibility with older clients. For background, see:
#
https://dev.mysql.com/doc/refman/8.0/en/server-system-variables.html#sysvar\_
default\_authentication\_plugin
# default-authentication-plugin=mysql_native_password

datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock

log-error=/var/log/mysqld.log
pid-file=/var/run/mysqld/mysqld.pid
```

/usr/lib/systemd/system/mysql.service

```
# Copyright (c) 2015, 2025, Oracle and/or its affiliates.
```

```
#
# This program is free software; you can redistribute it and/or modify
# it under the terms of the GNU General Public License, version 2.0,
# as published by the Free Software Foundation.
#
# This program is designed to work with certain software (including
# but not limited to OpenSSL) that is licensed under separate terms,
# as designated in a particular file or component or in included license
# documentation. The authors of MySQL hereby grant you an additional
# permission to link the program and your derivative works with the
# separately licensed software that they have either included with
# the program or referenced in the documentation.
#
# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License, version 2.0, for more details.
#
# You should have received a copy of the GNU General Public License
# along with this program; if not, write to the Free Software
# Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
#
# systemd service file for MySQL forking server
#

[Unit]
Description=MySQL Server
Documentation=man:mysql_d(8)
Documentation=http://dev.mysql.com/doc/refman/en/using-systemd.html
After=network-online.target
Wants=network-online.target
After=syslog.target

[Install]
WantedBy=multi-user.target

[Service]
User=mysql
Group=mysql

Type=notify

# Disable service start and stop timeout logic of systemd for mysqld
service.
TimeoutSec=0

# Execute pre and post scripts as root
# hence, + prefix is used

# Needed to create system tables
```

```
ExecStartPre=+/usr/bin/mysqld_pre_systemd

# Start main service
ExecStart=/usr/sbin/mysqld $MYSQLD_OPTS

# Use this to switch malloc implementation
EnvironmentFile=-/etc/sysconfig/mysql

# Sets open_files_limit
LimitNOFILE = 10000

Restart=on-failure

RestartPreventExitStatus=1

# Set environment variable MYSQLD_PARENT_PID. This is required for restart.
Environment=MYSQLD_PARENT_PID=1

PrivateTmp=false
```

/usr/lib/systemd/system/mysqld@.service

```
# Copyright (c) 2016, 2025, Oracle and/or its affiliates.
#
# This program is free software; you can redistribute it and/or modify
# it under the terms of the GNU General Public License, version 2.0,
# as published by the Free Software Foundation.
#
# This program is designed to work with certain software (including
# but not limited to OpenSSL) that is licensed under separate terms,
# as designated in a particular file or component or in included license
# documentation. The authors of MySQL hereby grant you an additional
# permission to link the program and your derivative works with the
# separately licensed software that they have either included with
# the program or referenced in the documentation.
#
# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License, version 2.0, for more details.
#
# You should have received a copy of the GNU General Public License
# along with this program; if not, write to the Free Software
# Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
#
# systemd service file for MySQL forking server
#
```

```
[Unit]
Description=MySQL Server
Documentation=man:mysql(8)
Documentation=http://dev.mysql.com/doc/refman/en/using-systemd.html
After=network-online.target
Wants=network-online.target
After=syslog.target

[Install]
WantedBy=multi-user.target

[Service]
User=mysql
Group=mysql

Type=notify

# Disable service start and stop timeout logic of systemd for mysqld
service.
TimeoutSec=0

# Execute pre and post scripts as root
# hence, + prefix is used

# Needed to create system tables
ExecStartPre=+/usr/bin/mysqld_pre_systemd %I

# Start main service
ExecStart=/usr/sbin/mysqld --defaults-group-suffix=@%I $MYSQLD_OPTS

# Use this to switch malloc implementation
EnvironmentFile=-/etc/sysconfig/mysql

# Sets open_files_limit
LimitNOFILE = 10000

Restart=on-failure

RestartPreventExitStatus=1

# Set environment variable MYSQLD_PARENT_PID. This is required for restart.
Environment=MYSQLD_PARENT_PID=1

PrivateTmp=false
```

/etc/logrotate.d/mysql

```
# The log file name and location can be set in
```

```
# /etc/my.cnf by setting the "log-error" option
# in [mysqld] section as follows:
#
# [mysqld]
# log-error=/var/log/mysqld.log
#
# For the mysqladmin commands below to work, root account
# password is required. Use mysql_config_editor(1) to store
# authentication credentials in the encrypted login path file
# ~/.mylogin.cnf
#
# Example usage:
#
# mysql_config_editor set --login-path=client --user=root --host=localhost
--password
#
# When these actions has been done, un-comment the following to
# enable rotation of mysqld's log error.
#

#/var/log/mysqld.log {
#     create 640 mysql mysql
#     notifempty
#     daily
#     rotate 5
#     missingok
#     compress
#     postrotate
#         # just if mysqld is really running
#         if test -x /usr/bin/mysqladmin && \
#             /usr/bin/mysqladmin ping &>/dev/null
#         then
#             /usr/bin/mysqladmin flush-logs
#         fi
#     endscript
# }
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/mysql_8_rpm_%EC%84%A4%EC%B9%98_%EC%8B%9C_%EA%B8%B0%EB%B3%B8_%EC%84%A4%EC%A0%95_%ED%8C%8C%EC%9D%BC

Last update: 2025/04/17 01:12

