

MySQL binary log	3
<i>binary file</i>	3
	3
	3
	3
	4

MySQL binary log

MySQL binary log
log binary
가

SQL
가

vim

binary

binary file

```
# mysqlbinlog -vvv --base64-output=DECODE-ROWS binarylog_file >
decodedlog_file
```

가

```
# mysqlbinlog -d [ ] [log-bin ] > [ ]
ex) mysqlbinlog -d database_01 mysql-bin.00001 > restore_00001.sql
```

```
# mysqlbinlog --start-datetime='2016-03-01 00:00:00' --stop-
datetime='2016-03-21 23:59:59' [log ] > [ ].sql
```

```
# mysqlbinlog [log ] | grep -i -e "^create" -e "^update" | more //  
# mysqlbinlog [log ] | grep -i -e "^create" -e "^update" > [ ].sql //
```

- --read-from-remote-server

binlog
. --host, --password, --port, --protocol, --socket, and --user

- --hexdump

16

가

trace

- --rewrite-db

DB

- - - database

--binlog-do-db 가 DB

- `--start-datetime`, `--stop-datetime`

()

- `--start-position`, `--stop-position`

()

- <https://dev.mysql.com/doc/refman/5.7/en/mysqlbinlog-row-events.html>

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!



Permanent link:

https://atl.kr/dokuwiki/doku.php/mysql_binary_log_%EB%B6%84%EC%84%9D

Last update: **2020/04/21 03:58**