

- MySQL/MariaDB Galera Cluster** 3
- Galera Cluster** 3
- 3
- 3
- Galera Network Port** 4
- 4
- MariaDB Clustering** 4
- Install MariaDB** 4
- MariaDB (Server One, Server Two) 5
- MariaDB Setup Root (Server One, Server Two)** 6
- Galera Cluster** 7
- Node1(Server One) Galera Cluster 8
- Node2(Server Two) Galera Cluster 8
- Galera Clustering** 8
- Node 1 Galera Cluster 9
- Node 2 Galera Cluster 가 9
- Clustering** 9
- DB sync** 10
- * * **node1(Server One)** 12

Galera Network Port

- Standard MariaDB Port(default : 3306) : MariaDB , State Snapshot Transfers(mysql_dump)
- Galera Peplication Port(default : 4567) : Galera Cluster replication traffic, UDP & TCP
- IST Port(default : 4568) : Incremental State Transfers()
- SST Port(default : 4444) : 3306 State Snapshot Transfers

1. MariaDB
- 2.
3. Clustering
4. Cluster 가
5. Clustering
6. DB Sync

MariaDB Clustering

- OS : CentOS-7.3-64
- DB : MariaDB 10.2
- Server One IP : 10.41.226.226
- Server Two IP : 10.41.227.100

Port Part 1 Test 가 . in/out Galera Cluster 3 node Clustering
2 node 가 2 ^^

Install MariaDB

MariaDB 가 .

- MariaDB Site : <https://mariadb.org/>
- MariaDB Repositories Download : <https://downloads.mariadb.org/mariadb/repositories/#mirror=iweb>

To generate the entries select an item from each of the boxes below. Once an item is selected in each box, your customized repository configuration will appear below.

1. Choose a Distro

- SLES
- openSUSE
- Arch Linux
- Mageia
- Fedora
- **CentOS**
- RedHat
- Mint
- Ubuntu
- Debian

2. Choose a Release

- CentOS 8 (ppc64le)
- CentOS 8 (x86_64)
- CentOS 7 (ppc64le)
- CentOS 7 (ppc64)
- **CentOS 7 (x86_64)**
- CentOS 6 (x86_64)
- CentOS 6 (x86)

3. Choose a Version

- 10.5 [Beta]
- 10.4 [Stable]
- 10.3 [Old Stable]
- **10.2 [Old Stable]**
- 10.1 [Old Stable]
- 5.5 [Old Stable]

Here is your custom MariaDB YUM repository entry for CentOS. Copy and paste it into a file under /etc/yum.repos.d/ (we suggest naming the file MariaDB.repo or something similar).

```
# MariaDB 10.2 CentOS repository list - created 2020-06-04 00:32 UTC
# http://downloads.mariadb.org/mariadb/repositories/
[mariadb]
name = MariaDB
baseurl = http://yum.mariadb.org/10.2/centos7-amd64
gpgkey=https://yum.mariadb.org/RPM-GPG-KEY-MariaDB
gpgcheck=1
```

After the file is in place, install MariaDB with:

```
sudo yum install MariaDB-server MariaDB-client
```

If you haven't already accepted the MariaDB GPG key, you will be prompted to do so. See "Installing MariaDB with yum" for detailed information.

Please see [Installing OQGraph](#) for details on additional install steps needed for that storage engine.

MariaDB (Server One, Server Two)

```
# Repository
[root@galera-01 ~]# vi /etc/yum.repo.d/MariaDB.repo

# MariaDB.repo
# MariaDB 10.2 CentOS repository list - created 2020-06-04 00:40 UTC
# http://downloads.mariadb.org/mariadb/repositories/
[mariadb]
name = MariaDB
baseurl = http://yum.mariadb.org/10.2/centos7-amd64
gpgkey=https://yum.mariadb.org/RPM-GPG-KEY-MariaDB
gpgcheck=1

# Install MariaDB
[root@galera-01 ~]# yum install MariaDB-server MariaDB-client
=====
=====
Package                               Arch      Version
Repository                             Size
=====
=====
```

```
=====
Installing:
MariaDB-client          x86_64          10.2.32-1.el7.centos
mariadb                11 M
MariaDB-compat         x86_64          10.2.32-1.el7.centos
mariadb                2.2 M
    replacing mariadb-libs.x86_64 1:5.5.52-1.el7
MariaDB-server         x86_64          10.2.32-1.el7.centos
mariadb                24 M
Installing for dependencies:
MariaDB-common         x86_64          10.2.32-1.el7.centos
mariadb                81 k
boost-program-options x86_64          1.53.0-28.el7
base                   156 k
galera                 x86_64          25.3.29-1.rhel7.el7.centos
mariadb                8.2 M
perl-Compress-Raw-Bzip2 x86_64          2.061-3.el7
base                   32 k
perl-Compress-Raw-Zlib x86_64          1:2.061-4.el7
base                   57 k
perl-DBI               x86_64          1.627-4.el7
base                   802 k
perl-IO-Compress       noarch          2.061-2.el7
base                   260 k
perl-Net-Daemon        noarch          0.48-5.el7
base                   51 k
perl-PlRPC             noarch          0.2020-14.el7
base                   36 k
Updating for dependencies:
openssl               x86_64          1:1.0.2k-19.el7
base                   493 k
openssl-libs          x86_64          1:1.0.2k-19.el7
base                   1.2 M
```

Transaction Summary

```
=====
=====
```

```
# MariaDB version
[root@galera-01 ~]# mysql --version
mysql Ver 15.1 Distrib 10.2.32-MariaDB, for Linux (x86_64) using readline
5.1
```

MariaDB Setup Root (Server One, Server

Two)

MariaDB Setup . Setting DB Stop .

```
# Start MariaDB
[root@galera-01 ~]# service mysql start
Starting mysql (via systemctl): [ OK ]
[root@galera-01 ~]# mysql_secure_installation

# Setting
Enter current password for root (enter for none):
OK, successfully used password, moving on...

Set root password? [Y/n] y
New password:
Re-enter new password:
Password updated successfully!
Reloading privilege tables..
... Success!

Remove anonymous users? [Y/n] y
... Success!

Disallow root login remotely? [Y/n] n
... skipping.

Remove test database and access to it? [Y/n] y
- Dropping test database...
... Success!
- Removing privileges on test database...
... Success!

Reload privilege tables now? [Y/n] y
... Success!

Thanks for using MariaDB!

# Stop MariaDB
[root@galera-01 ~]# service mysql stop
Stopping mysql (via systemctl): [ OK ]
```

Galera Cluster

Galera Cluster Node 가 Node 가

./etc/my.cnf.d/server.xml

[galera]

Node1(Server One) Galera Cluster

```
# Config node1(Server One) galera clutser
[root@galera-01 ~]# vi /etc/my.cnf.d/server.cnf

[galera]
# Mandatory settings
wsrep_on=ON
wsrep_provider=/usr/lib64/galera/libgalera_smm.so #
wsrep_cluster_address='gcomm://' # Galera

wsrep_cluster_name='cluster' # Node1/2
wsrep_node_address='10.41.226.226' # Node1(Server One) IP
wsrep_node_name='galera01' # Node1 Name
wsrep_sst_method=rsync
binlog_format=row
default_storage_engine=InnoDB
innodb_autoinc_lock_mode=2
bind-address=0.0.0.0
```

Node2(Server Two) Galera Cluster

```
# Config node2(Server Two) galera clutser
[root@galera-02 ~]# vi /etc/my.cnf.d/server.cnf

[galera]
# Mandatory settings
wsrep_on=ON
wsrep_provider=/usr/lib64/galera/libgalera_smm.so #
wsrep_cluster_address='gcomm://10.41.226.226' # Galera Clustering
IP(node1)
wsrep_cluster_name='cluster' # Node1/2
wsrep_node_address='10.41.227.100' # Node2(Server One) IP
wsrep_node_name='galera02' # Node2 Name
wsrep_sst_method=rsync
binlog_format=row
default_storage_engine=InnoDB
innodb_autoinc_lock_mode=2
bind-address=0.0.0.0
```

Galera Clustering

Node1,2 Clustering DB가


```
| information_schema |  
| mysql              |  
| performance_schema |  
+-----+
```

```
MariaDB [(none)]> create database galeradb;  
Query OK, 1 row affected (0.00 sec)
```

```
MariaDB [(none)]> show databases;
```

```
+-----+  
| Database          |  
+-----+  
| galeradb          |  
| information_schema |  
| mysql             |  
| performance_schema |  
+-----+
```

4 rows in set (0.00 sec)

```
# node2 sync
```

```
[root@galera-02 ~]# mysql -u root -p
```

```
Enter password:
```

```
Welcome to the MariaDB monitor.  Commands end with ; or \g.
```

```
Your MariaDB connection id is 13
```

```
Server version: 10.2.32-MariaDB MariaDB Server
```

```
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
```

```
Type 'help;' or '\h' for help. Type '\c' to clear the current input  
statement.
```

```
MariaDB [(none)]>
```

```
MariaDB [(none)]>
```

```
MariaDB [(none)]> show databases;
```

```
+-----+  
| Database          |  
+-----+  
| information_schema |  
| mysql             |  
| performance_schema |  
+-----+
```

3 rows in set (0.00 sec)

```
MariaDB [(none)]> show databases;
```

```
+-----+  
| Database          |  
+-----+  
| galeradb          |  
| information_schema |  
| mysql             |  
| performance_schema |  
+-----+
```

+-----+
4 rows in set (0.00 sec)

* * **node1(Server One)**

Test가
DB restart 가 node1
wsrep_cluster_address='gcomm:''' cluster
IP 가

```
# Config node1(Server One) galera clutser
[root@galera-01 ~]# vi /etc/my.cnf.d/server.cnf

[galera]
# Mandatory settings
wsrep_on=ON
wsrep_provider=/usr/lib64/galera/libgalera_smm.so
wsrep_cluster_address='gcomm://10.41.227.100' # Galera Cluster IP
가
wsrep_cluster_name='cluster'
wsrep_node_address='10.41.226.226'
wsrep_node_name='galera01'
wsrep_sst_method=rsync
binlog_format=row
default_storage_engine=InnoDB
innodb_autoinc_lock_mode=2
bind-address=0.0.0.0
```

===== * <https://syspago.tistory.com/2?category=1126943>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/mysql_mariadb_galera_cluster?rev=1611711609

Last update: 2021/01/27 01:40

