

**nmcli**

**Team**

..... 3



# nmcli Team

```
#!/bin/bash
nmcli connection add type team con-name team0 ifname team0 team.runner
activebackup
nmcli connection modify team0 team.link-watchers "name=ethtool"
nmcli connection modify team0 ipv4.addresses '192.168.1.110/24'
nmcli connection modify team0 ipv4.gateway '192.168.1.1'
nmcli connection modify team0 ipv4.method manual
nmcli connection add type team-slave con-name eth0 ifname eth0 master team0
nmcli connection add type team-slave con-name eth1 ifname eth1 master team0
nmcli connection up eth0
nmcli connection up eth1
nmcli connection up team0
```

- <https://access.redhat.com/labs/teamdconfighelper/>

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/nmcli%EB%A5%BC\\_%ED%86%B5%ED%95%9C\\_team\\_%EC%9D%B8%ED%84%B0%ED%8E%98%EC%9D%B4%EC%8A%A4\\_%EC%83%9D%EC%84%B1](https://atl.kr/dokuwiki/doku.php/nmcli%EB%A5%BC_%ED%86%B5%ED%95%9C_team_%EC%9D%B8%ED%84%B0%ED%8E%98%EC%9D%B4%EC%8A%A4_%EC%83%9D%EC%84%B1)

Last update: 2019/09/02 07:56

