

- 3
- oscap** 3
- 3
- SCAP** 4
- 가 (XCCDF ARF) 6
- OSCAP** 7
- OVAL 7
- XCCDF 10
- Source DataStream 11
- Result DataStream (ARF) 11
- Result STIG Viewer 12
- Remediate System** () 12
- Online Remediation () 13
- Offline Remediation () 13
- Remediation Review 13
- Check Engines** 14
- CVE, CCE, CPE 14
- CCE 16

OpenSCAP 1.2

oscap 가 . oscap
 . oscap SCAP , NIST 가
 NIST SCAP . oscap XCCDF
 SCAP SCAP CPE , CCE OVAL
 SCAP SCAP .
 oscap OpenSCAP
 SCAP Workbench .
 scap-security-guide SSG SCAP 가
 SCAP (PCI DSS ,
 STIG USGCB) .
 XCCDF OVAL SCAP .
 XCCDF . SCAP Workbench .
 oscap SCAP SCAP
 , , .
 가 SCAP , 가 CPE 가
 가 .
 Linux Windows oscap 가

oscap

- A tool (oscap or SCAP Workbench)
- SCAP content (XCCDF, OVAL...)

OpenSCAP oscap () Linux
 . Fedora Red Hat Enterprise Linux oscap
 yum .

```
# yum install openscap-scanner
```



openscap-scanner가 openscap-utils

```
oscap SCAP 가 .
SSG .
```

```
# yum install scap-security-guide
```

```
SCAP /usr/share/xml/scap/ssg/content/
SCAP 가 oscap
oscap SCAP 1.1 SCAP 1.0
SCAP 가
oscap, , CPE OVAL
```

```
$ oscap -V
```

SCAP

```
oscap info SCAP 가 ( SCAP ) XCCDF
SCAP 가 ,
target SCAP
```

```
$ oscap info /usr/share/xml/scap/ssg/content/ssg-rhel7-ds.xml
Document type: Source Data Stream
Imported: 2016-08-10T20:49:16

Stream: scap_org.open-scap_datastream_from_xccdf_ssg-rhel7-xccdf-1.2.xml
Generated: (null)
Version: 1.2
Checklists:
  Ref-Id: scap_org.open-scap_cref_ssg-rhel7-xccdf-1.2.xml
  Status: draft
  Generated: 2016-08-10
  Resolved: true
```

```

Profiles:
    xccdf_org.ssgproject.content_profile_standard
    xccdf_org.ssgproject.content_profile_pci-dss
    xccdf_org.ssgproject.content_profile_C2S
    xccdf_org.ssgproject.content_profile_rht-ccp
    xccdf_org.ssgproject.content_profile_common
workstation-upstream    xccdf_org.ssgproject.content_profile_stig-rhel7-
server-gui-upstream    xccdf_org.ssgproject.content_profile_stig-rhel7-
server-upstream        xccdf_org.ssgproject.content_profile_stig-rhel7-
server                  xccdf_org.ssgproject.content_profile_osp- rhel7-
server                  xccdf_org.ssgproject.content_profile_nist-cl-il-al
server                  xccdf_org.ssgproject.content_profile_cjis-rhel7-

Referenced check files:
    ssg-rhel7-oval.xml
    system:
http://oval.mitre.org/XMLSchema/oval-definitions-5
    ssg-rhel7-ocil.xml
    system: http://scap.nist.gov/schema/ocil/2
http://www.redhat.com/security/data/oval/Red_Hat_Enterprise_Linux_7.xml
    system:
http://oval.mitre.org/XMLSchema/oval-definitions-5
Checks:
    Ref-Id: scap_org.open-scap_cref_ssg-rhel7-oval.xml
    Ref-Id: scap_org.open-scap_cref_ssg-rhel7-ocil.xml
    Ref-Id: scap_org.open-scap_cref_output--ssg-rhel7-cpe-oval.xml
    Ref-Id: scap_org.open-scap_cref_output--ssg-rhel7-oval.xml
Dictionaries:
    Ref-Id: scap_org.open-scap_cref_output--ssg-rhel7-cpe-dictionary.xml

```

XCCDF :

```

$ oscap info /usr/share/xml/scap/ssg/content/ssg-rhel7-xccdf.xml
Document type: XCCDF Checklist
Checklist version: 1.1
Imported: 2016-08-10T20:49:16
Status: draft
Generated: 2016-08-10
Resolved: true
Profiles:
    standard
    pci-dss
    C2S
    rht-ccp
    common

```

```

stig-rhel7-workstation-upstream
stig-rhel7-server-gui-upstream
stig-rhel7-server-upstream
ospp-rhel7-server
nist-cl-il-al
cjis-rhel7-server
Referenced check files:
  ssg-rhel7-oval.xml
    system: http://oval.mitre.org/XMLSchema/oval-definitions-5
  ssg-rhel7-ocil.xml
    system: http://scap.nist.gov/schema/ocil/2
http://www.redhat.com/security/data/oval/Red_Hat_Enterprise_Linux_7.xml
  system: http://oval.mitre.org/XMLSchema/oval-definitions-5

```

Document type : . XCCDF, OVAL, W
 . Checklist version : XCCDF XCCDF
 . Imported : OpenSCAP 가
 . OpenSCAP 가
 . Status : XCCDF
 accepted, draft, deprecated, incomplete가 . XCCDF
 . XCCDF . Generated date : /
 XCCDF W XCCDF . Checklists : oscap 가
 xccdf eval -benchmark-id 가
 oscap xccdf eval -profile 가 가 . Profiles : ID가

가 (XCCDF ARF)

oscap info XCCDF ARF
 가 가
 XCCDF 가 가 TestResult

```

<TestResult id="xccdf_org.open-scap_testresult_common" start-
time="2017-01-21T19:16:28" end-time="2017-01-21T19:17:35"

```

ARF TestResult . arf :
 report .

```

<arf:reports>
  <arf:report id="xccdf1">
    <arf:content>
      <TestResult xmlns="http://checklists.nist.gov/xccdf/1.2"
id="xccdf_org.open-

```

```
scap_testresult_xccdf_org.ssgproject.content_profile_stig-rhel7-server-upstream" start-time="2017-01-20T14:30:18" end-time="2017-01-20T14:36:32"
```

```
HTML 가 . XCCDF ARF
HTML oscap xccdf generate report .
```

OSCAP

```
oscap . Oscal XCCDF
(OVAL SCAP 가 ) XML . SCAP
```

OVAL

```
SCAP OVAL (OVAL ) 가 . oscap OVAL
가 OVAL 가 . 가 OVAL
가 OVAL 가 . OVAL
OVAL 가 .
```

```
$ oscap oval eval --results oval-results.xml scap-oval.xml
```

```
scap-oval.xml OVAL oval-results.xml OVAL .
OVAL 가 .
```

```
$ oscap oval eval --id oval:rhel:def:1000 --results oval-results.xml scap-oval.xml
```

```
가 OVAL 가 oval:rhel:def:1000 scap-oval.xml OVAL
oval-results.xml OVAL .
```

```
SCAP OVAL 가
```

```
$ oscap oval eval --datastream-id ds.xml --oval-id xccdf.xml --results oval-results.xml scap-ds.xml
```

```
ds.xml , xccdf.xml OVAL XCCDF .
oval-results.xml OVAL , scap-ds.xml SCAP
```

SCAP	가	XML	OVAL	XCCDF	
	OVAL		XCCDF		OVAL
	가		가		가

```
$ oscap xccdf export-oval-variables --profile
united_states_government_configuration_baseline usgcb-rhel5desktop-xccdf.xml
$ oscap oval eval --variables usgcb-rhel5desktop-oval.xml-0.variables-0.xml
--results usgcb-results-oval.xml usgcb-rhel5desktop-oval.xml
```

united_states_government_configuration_baseline가 XCCDF
, usgcb-rhel5desktop-xccdf.xml가 XCCDF , usgcb-
rhel5desktop-oval.xml OVAL usgcb-rhel5desktop-
oval.xml-0.variables-0.xml XCCDF 가 , usgcb-
results-oval.xml OVAL

OVAL "thin" "full"
-directives <file> OpenSCAP

full thin 가 OVAL :

```
<?xml version="1.0" encoding="UTF-8"?>
<oval_directives xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:oval="http://oval.mitre.org/XMLSchema/oval-common-5" xmlns:oval-
res="http://oval.mitre.org/XMLSchema/oval-results-5"
xmlns="http://oval.mitre.org/XMLSchema/oval-directives-5"
xsi:schemaLocation="http://oval.mitre.org/XMLSchema/oval-results-5 oval-
results-schema.xsd http://oval.mitre.org/XMLSchema/oval-common-5 oval-
common-schema.xsd http://oval.mitre.org/XMLSchema/oval-directives-5 oval-
directives-schema.xsd">
  <generator>
    <oval:product_name>OpenSCAP</oval:product_name>
    <oval:schema_version>5.8</oval:schema_version> <!-- make sure the OVAL
version matches your input -->
    <oval:timestamp>2017-02-04T00:00:00</oval:timestamp>
  </generator>
  <directives include_source_definitions="true">
    <oval-res:definition_true reported="true" content="thin"/>
    <oval-res:definition_false reported="true" content="thin"/>
    <oval-res:definition_unknown reported="true" content="thin"/>
    <oval-res:definition_error reported="true" content="thin"/>
    <oval-res:definition_not_evaluated reported="true" content="thin"/>
    <oval-res:definition_not_applicable reported="true" content="thin"/>
  </directives>
</oval_directives>
```

thin OVAL 가 가 .

–without-syschar

OVAL OVAL :

```
$ oscap oval eval --directives directives.xml --without-syschar --results
oval-results.xml oval.xml
```

DataStream OVAL OVAL :

```
$ oscap oval eval --directives directives.xml --without-syschar --
datastream-id ds.xml --oval-id oval.xml --results oval-results.xml scap-
ds.xml
```

OVAL .XCCDF 가

```
$ oscap info ssg-rhel7-xccdf.xml
Document type: XCCDF Checklist
Checklist version: 1.1
Imported: 2017-01-20T14:20:43
Status: draft
Generated: 2017-01-19
Resolved: true
Profiles:
  standard
  pci-dss
  C2S
  rht-ccp
  common
  stig-rhel7-workstation-upstream
  stig-rhel7-server-gui-upstream
  stig-rhel7-server-upstream
  stig-rhevh-upstream
  osp- rhel7-server
  nist-cl-il-al
  cjis-rhel7-server
  docker-host
  nist-800-171-cui
Referenced check files:
  ssg-rhel7-oval.xml
    system: http://oval.mitre.org/XMLSchema/oval-definitions-5
  ssg-rhel7-ocil.xml
    system: http://scap.nist.gov/schema/ocil/2
https://www.redhat.com/security/data/oval/com.redhat.rhsa-RHEL7.xml.bz2
    system: http://oval.mitre.org/XMLSchema/oval-definitions-5
```

ssg-rhel7-oval.xml

oscap info . Source DataStream
 OVAL oscap ds sds-split
 OVAL

```
$ oscap ds sds-split ssg-rhel7-ds.xml extracted/
$ ls -l extracted/
scap_org.open-scap_cref_output--ssg-rhel7-cpe-dictionary.xml
scap_org.open-scap_cref_ssg-rhel7-xccdf-1.2.xml
ssg-rhel7-cpe-oval.xml
ssg-rhel7-ocil.xml
ssg-rhel7-oval.xml
```

DataStream	Result DataStream	XCCDF	OVAL	XCCDF	DataStream	Source
------------	-------------------	-------	------	-------	------------	--------

XCCDF

XCCDF 가 oscap XCCDF , OVAL CPE
 XCCDF . XCCDF XCCDF 가
 CVE CCE
 XCCDF

```
Title Verify permissions on 'group' file
Rule usgcb-rhel5desktop-rule-2.2.3.1.j
Ident CCE-3967-7
Result pass
```

CPE dictionary 가 가 가
 XCCDF 가 가
 XCCDF 가

```
$ oscap xccdf eval --profile Desktop --results xccdf-results.xml --cpe cpe-
dictionary.xml scap-xccdf.xml
```

scap-xccdf.xml XCCDF , Desktop XCCDF xccdf-
 results.xml , cpe-dictionary.xml CPE dictionary
 -rule 가 가

```
$ oscap xccdf eval --profile Desktop --rule
ensure_gpgcheck_globally_activated --results xccdf-results.xml --cpe cpe-
dictionary.xml scap-xccdf.xml
```

ensure_gpgcheck_globally_activated 가

Source DataStream

. Source DataStream
가

가 가 oscap xccdf eval

SCAP DataStream DataStream XCCDF 가

```
$ oscap xccdf eval --datastream-id ds.xml --xccdf-id xccdf.xml --results
xccdf-results.xml scap-ds.xml
```

scap-ds.xml SCAP , ds.xml
, xccdf.xml가 XCCDF component-ref 가 ID xccdf-
results.xml



-datastream-id checklists 가
-xccdf-id DataStream . checklists
checklists 가

(,) SCAP DataStream DataStream XCCDF
가

```
$ oscap xccdf eval --benchmark-id benchmark_id --results xccdf-results.xml
scap-ds.xml
```

scap-ds.xml가 SCAP , benchmark_id
xccdf: Benchmark id . xccdf-results.xml

Result DataStream (ARF)

-results XCCDF Result
DataStream (ARF - Asset Reporting Format) XML -results-arf

```
$ oscap xccdf eval --benchmark-id benchmark_id --results-arf arf-results.xml
scap-ds.xml
```

Result STIG Viewer

XCCDF DISA STIG Viewer 가 Rule ID가 DISA
 --stig-viewer DISA STIG Viewer 가 XCCDF

```
$ oscap xccdf eval --profile stig-rhel7-disa --stig-viewer results-stig.xml
ssg-rhel7-ds.xml
```

XCCDF STIG ID href
<http://iase.disa.mil/stigs/Pages/stig-viewing-guidance.aspx>

```
<Rule id="rpm_verify_permissions">
  ...
  <reference
href="http://iase.disa.mil/stigs/Pages/stig-viewing-guidance.aspx">SV-86473r
2_rule</reference>
  ...
</Rule>
```

DISA STIG Viewer


Remediate System

()

OpenSCAP

XCCDF . scap-security-guide

- oscap XCCDF 가
- 가 OVAL 가
- oscap
- oscap rule-result
- oscap 가 가 OVAL 가 가



Online Remediation

()

가
 -remediate , scap-security-guide

```
$ oscap xccdf eval --remediate --profile
xccdf_org.ssgproject.content_profile_rht-ccp --results scan-xccdf-
results.xml /usr/share/xml/scap/ssg/content/ssg-rhel7-ds.xml
```

가

Offline Remediation

()

XCCDF TestResult 가
 oscaps
 가 TestResult 가
 가
 scap-security-guide

```
$ oscap xccdf eval --profile xccdf_org.ssgproject.content_profile_rht-ccp --
results scan-xccdf-results.xml /usr/share/xml/scap/ssg/content/ssg-rhel7-
ds.xml

$ oscap xccdf remediate --results scan-xccdf-results.xml scan-xccdf-
results.xml
```

Remediation Review

가 가

```
$ oscap xccdf generate fix --template urn:xccdf:fix:script:sh --profile
xccdf_org.ssgproject.content_profile_rht-ccp --output my-remediation-
script.sh /usr/share/xml/scap/ssg/content/ssg-rhel7-ds.xml
```

Check Engines

	XCCDF		OVAL		OVAL	가	가
가	.	가	가	OVAL	가	OVAL	.
-oval-results				가			.
			(:SCE)				.

OpenSCAP

XCCDF 가

```
$ oscap xccdf eval sds-datastream.xml
```

```
Title  Check group file contents
Rule   xccdf_org.example_rule_system_authcontent-group
Result notchecked
```

```
Title  Check password file contents
Rule   xccdf_org.example_rule_system_authcontent-passwd
Result notchecked
```

```
Title  Check shadow file contents
Rule   xccdf_org.example_rule_system_authcontent-shadow
Result notchecked
```

...



가	가	가	. notchecked
가	가	.	.

CVE, CCE, CPE

XCCDF	xccdf:ident	가	.
CVE, CCE, CPE			.

oscap . :

```
Title  Ensure Repodata Signature Checking is Not Disabled For Any Repos
Rule   rule-2.1.2.3.6.a
```

```

Result pass

Title Verify user who owns 'shadow' file
Rule rule-2.2.3.1.a
Ident CCE-3918-0
Result pass

```

```

Title Verify group who owns 'shadow' file
Rule rule-2.2.3.1.b
Ident CCE-3988-3
Result pass

```

() .

HTML 가 CVE NVD
() . OpenSCAP

ID 가 Result Datastream .
-results-arf 가

```

$ oscap xccdf eval --profile xccdf_org.ssgproject.content_profile_common --
fetch-remote-resources --results-arf results.xml
/usr/share/xml/scap/ssg/content/ssg-rhel6-ds.xml

```

results.xml <rule-result> 가 .

```

<rule-result idref="xccdf_org.ssgproject.content_rule_partition_for_tmp"
time="2017-01-20T14:30:18" severity="low" weight="1.000000">
  <result>pass</result>
  <ident system="https://nvd.nist.gov/cce/index.cfm">CCE-27173-4</ident>
  <check system="http://oval.mitre.org/XMLSchema/oval-definitions-5">
    <check-content-ref name="oval:ssg-partition_for_tmp:def:1"
href="#oval0"/>
  </check>
</rule-result>

```

OpenSCAP 1.2.9 HTML Group-By

HTML . HTML
(: CCE-27173-4) 가 .
XCCDF ID 가
HTML 가 SCAP 가
HTML
(: CCE NIST 800-53)
HTML CCE ID NIST SP 800-53 ID

Last update:
2018/11/04
05:34

openscap_
_v1.2

https://at1.kr/dokuwiki/doku.php/openscap_%EB%A7%A4%EB%89%B4%EC%96%BC_v1.2?rev=1541309647

CCE ID

NIST 800-53 ID

CCE

OpenSCAP

CCE

가

CCE

From:

<https://at1.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://at1.kr/dokuwiki/doku.php/openscap_%EB%A7%A4%EB%89%B4%EC%96%BC_v1.2?rev=1541309647

Last update: **2018/11/04 05:34**

