

**Openstack multiple cinder backend** ..... 3



# Openstack multiple cinder backend

```
parameter_defaults:
  ControllerExtraConfig:
    cinder::config::cinder_config:

      rbd-ssd/volume_backend_name:
        value: rbd-ssd
      rbd-ssd/volume_driver:
        value: cinder.volume.drivers.rbd.RBDDriver
      rbd-ssd/rbd_ceph_conf:
        value: /etc/ceph/ceph2.conf
      rbd-ssd/rbd_user:
        value: openstack
      rbd-ssd/rbd_pool:
        value: volumes
      rbd-ssd/rbd_flatten_volume_from_snapshot:
        value: False
      rbd-ssd/rbd_secret_uuid:
        value: b90a96f8-7bee-41b2-ac0e-bea083261177
      rbd-ssd/report_discard_supported:
        value: True

    cinder_user_enabled_backends: ['rbd-ssd']
```

From:  
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/openstack\\_multiple\\_cinder\\_backend?rev=1646876470](https://atl.kr/dokuwiki/doku.php/openstack_multiple_cinder_backend?rev=1646876470)

Last update: **2022/03/10 01:41**

