

OVN control commands 3

OVN control commands

ovn_ctl_commands.sh

```
export SB=$(docker exec openvswitch_vswitchd ovs-vsctl get open .
external_ids:ovn-remote | sed -e 's/\\"//g')
export NB=$(docker exec openvswitch_vswitchd ovs-vsctl get open .
external_ids:ovn-remote | sed -e 's/\\"//g' | sed -e 's/6642/6641/g')
alias ovs-vsctl='docker exec openvswitch_vswitchd ovs-vsctl'
alias ovs-ofctl='docker exec openvswitch_vswitchd ovs-ofctl'
alias ovs-appctl='docker exec openvswitch_vswitchd ovs-appctl'
alias ovs-dpctl='docker exec openvswitch_vswitchd ovs-dpctl'
alias ovn-sbctl='docker exec ovn_controller ovn-sbctl --db=$SB'
alias ovn-nbctl='docker exec ovn_controller ovn-nbctl --db=$NB'
alias ovn-trace='docker exec ovn_controller ovn-trace --db=$SB'
```

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/ovn_control_commands

Last update: **2024/10/07 06:37**

