

- Podman container storage** 3
- Podman* 3
- SELinux* 3
- 3

Podman container storage

Podman

```
SELinux가 /etc/containers/storage.conf
```

```
graphroot = /var/lib/containers/storage
```

```
# Primary Read/Write location of container storage  
graphroot = "/var/lib/containers/storage"
```

```
graphroot = /mnt/mystorage/virtual/storage
```

```
# Primary Read/Write location of container storage  
graphroot = "/mnt/mystorage/virtual/storage"
```

```
[root@lsv1 mystorage]# podman info
```

SELinux

```
SELinux SELinux Tagging
```

```
[root@lsv1 mystorage]# semanage fcontext -a -e /var/lib/containers  
/mnt/mystorage/virtual/storage  
[root@lsv1 mystorage]# restorecon -Rv /mnt/mystorage/virtual/storage  
restorecon reset /mnt/mystorage/virtual/storage context  
unconfined_u:object_r:mnt_t:s0->unconfined_u:object_r:container_var_lib_t:s0
```

- <https://ahelpme.com/software/podman/change-the-location-of-container-storage-in-podman-with-selinux-enabled/>

Last update: podman_container_storage https://atl.kr/dokuwiki/doku.php/podman_container_storage%EA%B2%BD%EB%A1%9C_%EB%B3%80%EA%B2%BD 2023/12/18 06:51

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/podman_container_storage%EA%B2%BD%EB%A1%9C_%EB%B3%80%EA%B2%BD

Last update: **2023/12/18 06:51**

