

Postfix - SASL Authentication 3

..... 3

main.cf 3

SASL2 3

..... 3

..... 3

..... 4

Postfix - SASL Authentication

— 2016/08/26 10:55

1. cyrus-sasl

main.cf

/etc/postfix/main.cf 가

```
smtpd_sasl_path = smtpd
smtpd_sasl_auth_enable = yes
```

SASL2

/etc/sasl2/smtpd.conf

```
pwcheck_method: saslauthd
mech_list: PLAIN LOGIN
```

```
chkconfig saslauthd on
chkconfig postfix on
```

```
service saslauthd start
service postfix start
```

```
$ telnet server.test.com 25
. . .
220 server.test.com ESMTP Postfix
EHLO client.test.com
250-server.test.com
250-PIPELINING
250-SIZE 10240000
```

```
250-VRFY
250-ETRN
250-AUTH PLAIN LOGIN
250-ENHANCEDSTATUSCODES
250-8BITMIME
250 DSN
AUTH PLAIN AHJlZGhhdAByZWRoYXQ=
235 2.0.0 Authentication successful
```

MIME

```
echo -ne "\0username\0password" | base64
```

- <https://access.redhat.com/articles/10656>

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/postfix_-_sasl_authentication_%EC%84%A4%EC%A0%95?rev=1472179587

Last update: **2016/08/26 02:46**

