

**PXE Boot** ..... 3  
..... 3  
..... 3  
..... 3  
**PXE Boot Menu** ..... 4  
..... 7



# PXE Boot

DHCP가

- DHCP

```
yum install tftp-server syslinux
```

```
# tftp (/usr/share/syslinux/* )
/var/lib/tftpboot

# pxe
/var/lib/tftpboot/pxelinux.cfg/default
/var/lib/tftpboot/pxelinux.cfg/logo.png

# ISO
/var/lib/tftpboot/RHEL/7.3/x64 -> /ISO/rhel-server-7.3-x86_64-dvd.iso #
Symbolic Link
/var/lib/tftpboot/RHEL/6.8/x64 -> /ISO/rhel-server-6.8-x86_64-dvd.iso #
Symbolic Link
/var/lib/tftpboot/RHEL/5.11/x64 -> /ISO/rhel-server-5.11-x86_64-dvd.iso #
Symbolic Link
```

httpd

- httpd

```
yum install httpd
```

- Repository

```
Alias /rhel/ /var/lib/tftpboot/RHEL/
Alias /centos/ /var/lib/tftpboot/CentOS/
Alias /fedora/ /var/lib/tftpboot/Fedora/
Alias /debian/ /var/lib/tftpboot/Debian/
Alias /ubuntu/ /var/lib/tftpboot/Ubuntu/
```

```
<Directory "/var/lib/tftpboot">
  Options Indexes FollowSymLinks
  AllowOverride None

  Order allow,deny
  Allow from all
</Directory>
```

## PXE Boot Menu

```
DEFAULT vesamenu.c32
TIMEOUT 600

#          가
PROMPT          0
#          가
NOESCAPE        1
#          가
ALLOWOPTIONS    1
#
ONTIMEOUT       BootLocal

#
MENU TITLE      LinuxDataSystem PXE

#
MENU VSHIFT     3
#
MENU WIDTH      50
#
MENU ROWS       10
#
MENU MARGIN     10
#
MENU TABMSGROW  15
#
MENU TIMEOUTROW 16

#####
MENU COLOR BORDER 30;44 #00000000 #00000000 none
MENU COLOR SCROLLBAR 30;44 #00000000 #00000000 none
MENU COLOR TITLE 0 #ffffffff #00000000 none
MENU COLOR SEL 30;47 #40000000 #ffffffff

#
MENU BACKGROUND pxelinux.cfg/logo.png

LABEL BootLocal
  MENU LABEL Boot from local HDD
    localboot 0
    TEXT HELP
```

```
    Boot to local hard disk
    ENDTEXT

MENU BEGIN Redhat Enterprise Linux
MENU TITLE Redhat Enterprise Linux
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE RHEL/RHEL.menu
MENU END

MENU BEGIN CentOS
MENU TITLE CentOS
    LABEL Previous
MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE CentOS/CentOS.menu
MENU END

MENU BEGIN Fedora
MENU TITLE Fedora
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE Fedora/Fedora.menu
MENU END

MENU BEGIN Debian
MENU TITLE Debian
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE Debian/Debian.menu
MENU END
```

```
MENU BEGIN Ubuntu
MENU TITLE Ubuntu
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE Ubuntu/Ubuntu.menu
MENU END

MENU BEGIN openSUSE
MENU TITLE openSUSE
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE openSUSE/openSUSE.menu
MENU END

MENU BEGIN VMware
MENU TITLE VMware
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE VMware/VMware.menu
MENU END

MENU BEGIN Tools and Utilities
MENU TITLE Tools and Utilities
    LABEL Previous
    MENU LABEL Previous Menu
    TEXT HELP
    Return to previous menu
    ENDTEXT
    MENU EXIT
    MENU SEPARATOR
    MENU INCLUDE UTIL/UTIL.menu
MENU END

MENU BEGIN DOS Based
MENU TITLE DOS Based
    LABEL Previous
```

```

MENU LABEL Previous Menu
TEXT HELP
Return to previous menu
ENDTEXT
MENU EXIT
MENU SEPARATOR
MENU INCLUDE DOS/DOS.menu
MENU END

```

ISO repository . repository http

```

LABEL 3
MENU LABEL RHEL 7.3 (64-bit)
KERNEL RHEL/7.3/x64/isolinux/vmlinuz
append initrd=RHEL/7.3/x64/isolinux/initrd.img
repo=http://192.168.222.254/rhel/7.3/x64 devfs=nomount ip=dhcp
TEXT HELP
Install RHEL 7.3 (64-bit)
ENDTEXT

```

```

LABEL 2
MENU LABEL RHEL 6.8 (64-bit)
KERNEL RHEL/6.8/x64/isolinux/vmlinuz
append initrd=RHEL/6.8/x64/isolinux/initrd.img
repo=http://192.168.222.254/rhel/6.8/x64 devfs=nomount ip=dhcp
TEXT HELP
Install RHEL 6.8 (64-bit)
ENDTEXT

```

```

LABEL 1
MENU LABEL RHEL 5.11 (64-bit)
KERNEL RHEL/5.11/x64/isolinux/vmlinuz
append initrd=RHEL/5.11/x64/isolinux/initrd.img
repo=http://192.168.222.254/rhel/5.11/x64 devfs=nomount ip=dhcp
TEXT HELP
Install RHEL 5.11 (64-bit)
ENDTEXT

```

- [logo.png](#)

From: <https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link: [https://at1.kr/dokuwiki/doku.php/pxe\\_boot\\_%EA%B5%AC%EC%84%B1?rev=1484301563](https://at1.kr/dokuwiki/doku.php/pxe_boot_%EA%B5%AC%EC%84%B1?rev=1484301563)

Last update: 2017/01/13 09:59



