


```
yum install rear
```

```
ReaR /etc/rear/local.conf .
```

```
$vim /etc/rear/local.conf
```

```
OUTPUT=ISO # OUTPUT : BOOT ISO
OUTPUT_URL=nfs://10.32.0.65/rear # OUTPUT_URL : BOOT ISO

BACKUP=NETFS # BACKUP : BACKUP DATA
. (NETFS network filesystem . NFS)
BACKUP_URL=nfs://10.32.0.65/rear # BACKUP_URL : BACKUP DATA가 NFS
BACKUP_URL=iso:///backup/ # ISO
```

BACKUP


```
$ rear -d -v mkrescue
```

```
cron /etc/crontab 가 .
```

```
$ vim /etc/crontab
# 22:00
0 22 * * 1-5 root /usr/sbin/rear mkrescue #
0 22 * * 1-5 root /usr/sbin/rear mkbackuponly #
0 22 * * 1-5 root /usr/sbin/rear mkbackup #
```

ISO . (DVD or KVM)

Recover rhel8 .



```
Relax-and-Recover v1.17.2
Recover rhel7
Automatic Recover rhel7

Other actions
Help for Relax-and-Recover
Boot First Local disk (hd0)
Boot Second Local disk (hd1)
Boot Next device
Hardware Detection Tool
ReBoot system
Power off system
```

가

```
RESCUE rhel8:~ # _
```

```
RESCUE rhel8:~ # ip a add 10.32.0.60/24 dev enp1s0
RESCUE rhel8:~ # ip link set enp1s0 up
RESCUE rhel8:~ # ip a
```

nfs server rear -v recover

```
RESCUE rhel8:~ # rear -v recover
```

/mnt/local 가 .

가 가 .

:

https://access.redhat.com/documentation/ko-kr/red_hat_enterprise_linux/7/html/system_administrator_s_guide/ch-relax-and-recover_rear rear local.conf 가

<https://github.com/rear/rear/blob/master/doc/user-guide/03-configuration.adoc>

OUTPUT=PXE PXE

```
vim /etc/dhcp/dhcpd.conf
-----
filename "rear/pxelinux.0"
systemctl restart dhcpd 가 .
```

```
mkdir -p /var/lib/tftpboot/rear/pxelinux.cfg
cp /usr/share/syslinux/pxelinux.0 /var/lib/tftpboot/rear
cp /usr/share/syslinux/ldlinux.c32 /var/lib/tftpboot/rear
cp /usr/share/syslinux/menu.c32 /var/lib/tftpboot/rear
```

PXE /var/lib/tftpboot/rear/ .

PXE

```
cp /var/lib/tftpboot/rear/rear-hostname
/var/lib/tftpboot/rear/pxelinux.cfg/default
chmod -R 777 /var/lib/tftpboot/rear/
```

PXE

boot: 가

rear

```

[Link:up, TX:0 TXE:0 RX:0 RXE:0]
Configuring (net0 52:54:00:01:30:9e)..... ok
net0: 10.32.0.123/255.255.255.0 gw 10.32.0.1
net0: fe80::5054:ff:fe01:309e/64
Next server: 10.32.0.34
Filename: rear/pxelinux.0
tftp://10.32.0.34/rear/pxelinux.0... ok
pxelinux.0 : 42376 bytes [PXE-NBP]

PXELINUX 6.04 PXE Copyright (C) 1994-2015 H. Peter Anvin et al
ENTER - boot local hard disk
-----

Relax-and-Recover 2.4 / Git

Relax-and-Recover comes with ABSOLUTELY NO WARRANTY; for details see
the GNU General Public License at: http://www.gnu.org/licenses/gpl.html

Host cent2003 using Backup METFS and Output PXE
Build date: Wed, 15 Nov 2023 15:24:03 +0900

-----
rear = disaster recover this system with Relax-and-Recover
boot: _

```

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: <https://atl.kr/dokuwiki/doku.php/rear>

Last update: 2023/11/15 08:58

