

Red Hat Identity Management	3
<i>IdM</i>	3
.....	3
.....	3
.....	3
<i>idM</i>	3
.....	3
<i>IdM</i>	4
.....	4

Red Hat Identity Management

IdM

IdM (Red Hat Identity Management) Linux
 , , , Kerberos Linux ID
 , IdM RHEL DNS
 Kerberos DNS

IdM IdM Red Hat
 , 가
 IdM RAM 가
 RAM
 • 가 10,000 100 IdM 3GB RAM 1GB
 • 가 100,000 50,000 16GB RAM 4GB
 가 가 10KB
 가 가

```
[root@demo ~]#firewall-cmd --add-service=freeipa-ldap --permanent
[root@demo ~]#firewall-cmd --add-service=freeipa-ldaps --permanent
[root@demo ~]#firewall-cmd --add-service=dns --permanent
```

idM

```
[root@demo ~]#yum install ipa-server ipa-server-dns
```

-

```
[root@idm ~]#ipa-server-install --realm LAB.EXAMPLE.NET --ds-password
```

```
RedHat123^ --admin-password RedHat123^ \--setup-dns --no-forwarders --  
mkhomedir \--reverse-zone=250.25.172.in-addr.arpa.
```

IdM

IdM 가 DNS IdM

- IdM (IdM) ipa server-del IdM

```
[root@server1 ~]#ipa server-del demo.example.net
```

- IdM (demo.example.net) ipa-server-install -uninstall

```
[root@demo ~]#ipa-server-install --uninstall
```

- DNS IdM 가 (NS) DNS 가



From: <https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://at1.kr/dokuwiki/doku.php/red_hat_identity_management_%EC%84%A4%EC%B9%98

Last update: 2020/02/07 00:55

