


Reverse SSH Tunneling 3

Reverse SSH Tunneling

: <http://egloos.zum.com/mcchae/v/11194088>



가 . IP 가 192.168.1.10
 가 . NAT 가 192.168.1.10
 가 . IP 가 10.20.30.40 가 SSH
 가 .

```
$ ssh user@10.20.30.40
```

10.20.30.40 가 가 .
 NAT 가 10.20.30.40 192.168.1.10 .
 SSH .

```
ssh -R 가 .  

192.168.1.10 .
```

```
$ ssh -f -R 12345:localhost:22 user@10.20.30.40 sleep 100
```

```
#
$ ssh -nNT -o TCPKeepAlive=yes -R 12345:127.0.0.1:22 user@10.20.30.40
```

```
(
    . ssh-keygen id_rsa.pub
    .ssh/authorized_keys . putty
)

-f user@10.20.30.40 sleep 100
-R 12345:localhost:22 10.20.30.40 12345 listen
(192.168.1.10) 22
100 ,
(10.20.30.40)
```

```
$ ssh ruser@localhost -p 12345
```

```
192.168.1.10 10.20.30.40 10.20.30.40
192.168.1.10 sshd 가 .
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/reverse_ssh_tunneling?rev=1566185662

Last update: **2019/08/19 03:34**

