

RHEL7 locale 3
locale 가 4

RHEL7 locale

RHEL 7

가

```
# localectl list-locales | grep -i ko
ko_KR
ko_KR.euckr
ko_KR.utf8
kok_IN
kok_IN.utf8
korean
korean.euc
ru_RU.koi8r
ru_UA.koi8u
tg_TJ.koi8t
uk_UA.koi8u
```

utf8

```
# localectl set-locale LANG=ko_KR.utf8
```

/etc/locale.conf

가

```
LANG=ko_KR.utf8
```

```
# locale
LANG=ko_KR.utf8
LC_CTYPE="ko_KR.utf8"
LC_NUMERIC="ko_KR.utf8"
LC_TIME="ko_KR.utf8"
LC_COLLATE="ko_KR.utf8"
LC_MONETARY="ko_KR.utf8"
LC_MESSAGES="ko_KR.utf8"
LC_PAPER="ko_KR.utf8"
LC_NAME="ko_KR.utf8"
LC_ADDRESS="ko_KR.utf8"
LC_TELEPHONE="ko_KR.utf8"
LC_MEASUREMENT="ko_KR.utf8"
LC_IDENTIFICATION="ko_KR.utf8"
LC_ALL=
```

```
# cat /etc/locale.conf  
LANG=ko_KR.utf8
```

locale 가

- yum-langpacks.noarch yum

```
# yum install yum-langpacks
```

-

```
# yum langlist
```

-

```
# yum langinstall <lang>
```

```
# yum langinstall ko_KR
```

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/rhel7_locale_%EB%B3%80%EA%B2%BD?rev=1614758242

Last update: **2021/03/03 07:57**

