

RHEL7 Systemctl command 3

Target 3

..... 3

..... 3

..... 4

single user mode 4

systemctl emergency 4

..... 4

service 4

chkconfig 5

..... 5

..... 5

..... 5

..... 5

..... 5

..... 5

..... 5

가 active 6

가 6


```
$ systemctl list-units --type target --all
```

```
$ systemctl set-default name.target
```

graphical.target multi-user.target X-Windows

```
$ sudo systemctl set-default graphical.target
```

</WRAP

single user mode

single user mode 가 rescue

```
$ sudo systemctl rescue
```

systemctl emergency

) (root 가 single mode read only emergency 가

```
$ sudo systemctl emergency
```

service

service	systemctl	
service name start	systemctl start name.service	
service name stop	systemctl stop name.service	
service name restart	systemctl restart name.service	
service name condrestart	systemctl try-restart name.service	가
service name reload	systemctl reload name.service	
service name status	systemctl status name.service systemctl is-active name.service	
service -status-all	systemctl list-units -type service --all	

chkconfig

chkconfig	systemctl	
chkconfig name on	systemctl enable name.service	()
chkconfig name off	systemctl disable name.service	
chkconfig -list name	systemctl status name.service systemctl is-enabled name.service	
chkconfig -list	systemctl list-unit-files -type service	
chkconfig -list	systemctl list-dependencies -after	target
chkconfig -list	systemctl list-dependencies -before	target

```
systemctl status  
systemctl status php-fpm.service
```

```
systemctl start mariadb.service
```

```
systemctl enable mariadb.service
```

list-units

```
$ sudo systemctl list-units
```

unit list-unit-files

```
$ sudo systemctl list-unit-files
```

```
$ sudo systemctl list-units --state=failed
```

active

```
$ sudo systemctl list-units --state=active
```

가 inactive

```
$ sudo systemctl list-units --all --state=inactive
```

가 running

```
$ sudo systemctl list-units --type=service --state=running
```

가 **active**

가 active is-active

```
$ sudo systemctl is-active nginx
```

failed

가

가 active is-enabled

```
$ sudo systemctl is-enabled nginx
```

disabled

```
journalctl
```

Query the systemd journal log.

systemctl

```
journalctl -xn
```

Pager -e(pager end)

```
journalctl -xe
```

```
journalctl -xn --no-pager | less
```

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/rhel7_systemctl_command?rev=1532329169

Last update: **2018/07/23 06:59**

