

**RHEL9 SSH**      가 ..... 3  
..... 4



# RHEL9 SSH 가

RHEL9 SSH  
가 .

```
Connecting to 10.33.2.10:22...
Connection established.
To escape to local shell, press 'Ctrl+Alt+]'.
Connection closing...Socket close.

Connection closed by foreign host.

Disconnected from remote host(00. khnp-director) at 09:58:04.

Type `help` to learn how to use Xshell prompt.
```

openssh . openssh  
daemon sshd\_config .

```
# To modify the system-wide sshd configuration, create a *.conf file under
# /etc/ssh/sshd_config.d/ which will be automatically included below
Include /etc/ssh/sshd_config.d/*.conf ##### <<<<< -

# If you want to change the port on a SELinux system, you have to tell
# SELinux about this change.
# semanage port -a -t ssh_port_t -p tcp #PORTNUMBER
#
#Port 22
#AddressFamily any
#ListenAddress 0.0.0.0
#ListenAddress ::
```

sshd\_config.d

```
[root@kvm33 sshd_config.d]# ll
total 8
-rw-r--r--. 1 root root 141 Nov 21 12:10 01-permitrootlogin.conf
-rw----- . 1 root root 719 Sep 23 2022 50-redhat.conf
[root@kvm33 sshd_config.d]# cat 50-redhat.conf
# This system is following system-wide crypto policy. The changes to
# crypto properties (Ciphers, MACs, ...) will not have any effect in
# this or following included files. To override some configuration option,
# write it before this block or include it before this file.
# Please, see manual pages for update-crypto-policies(8) and sshd_config(5).
```

```
Include /etc/crypto-policies/back-ends/opensshserver.config #####  
<<<<<<- -  
  
SyslogFacility AUTHPRIV  
  
ChallengeResponseAuthentication no  
  
GSSAPIAuthentication yes  
GSSAPICleanupCredentials no  
  
UsePAM yes  
  
X11Forwarding yes  
  
# It is recommended to use pam_motd in /etc/pam.d/sshd instead of PrintMotd,  
# as it is more configurable and versatile than the built-in version.  
PrintMotd no
```

```
opensshserver.config      openssh      .  
                          SHA1  
  
                          openssh  
  
ssh  
  
Include                  .      putty      ssh  
client
```

- [https://bugzilla.redhat.com/show\\_bug.cgi?id=2088750](https://bugzilla.redhat.com/show_bug.cgi?id=2088750)
- [https://bugzilla.redhat.com/show\\_bug.cgi?id=2150710](https://bugzilla.redhat.com/show_bug.cgi?id=2150710)

From: <https://atl.kr/dokuwiki/> - AllThatLinux!  
Permanent link: [https://atl.kr/dokuwiki/doku.php/rhel9\\_ssh\\_%EC%A0%91%EC%86%8D\\_%EB%B6%88%EA%B0%80\\_%EB%AC%B8%EC%A0%9C](https://atl.kr/dokuwiki/doku.php/rhel9_ssh_%EC%A0%91%EC%86%8D_%EB%B6%88%EA%B0%80_%EB%AC%B8%EC%A0%9C)  
Last update: 2023/05/02 01:35

