

RedHat Enterprise Linux Server	가	3
	가	3
		3
		3
		3

rhel_

Last update: -
2015/06/18 - https://atl.kr/dokuwiki/doku.php/rhel_%EC%84%9C%EB%B2%84_%EB%B3%B4%EC%95%88_%EC%A0%90%EA%B2%80_%EA%B0%80%EC%9D%B4%EB%93%9C?rev=1421644890
15:49
가 -

RedHat Enterprise Linux Server

가

가

CentOS 6.6

OS

lib 가

```
[root@test ~]# cat /usr/share/doc/pam-1.1.1/txts/README*
```

```
*      : /etc/pam.d/
*          (lib      )
```

32bit	cd /lib/security/
64bit	cd /lib64/security/

system-auth

```
[root@test ~]# cat /etc/pam.d/system-auth
 #%PAM-1.0
 # This file is auto-generated.
 # User changes will be destroyed the next time authconfig is run.
 auth      required      pam_env.so
 auth      required      pam_tally2.so deny=3 onerr=fail
 unlock_time=120 // 가
 auth      sufficient   pam_fprintd.so
 auth      sufficient   pam_unix.so nullok try_first_pass
 auth      requisite    pam_succeed_if.so uid >= 500 quiet
 auth      required     pam_deny.so

 account   required     pam_unix.so
 account   required     pam_tally2.so // 가
 account   sufficient   pam_localuser.so
 account   sufficient   pam_succeed_if.so uid < 500 quiet
 account   required     pam_permit.so
```

rhel_

Last update: -
2015/06/18 - https://atl.kr/dokuwiki/doku.php/rhel_%EC%84%9C%EB%B2%84_%EB%B3%B4%EC%95%88_%EC%A0%90%EA%B2%80_%EA%B0%80%EC%9D%B4%EB%93%9C?rev=1421644890
15:49
가 -

```
password      requisite      pam_cracklib.so try_first_pass retry=3 type=
password      sufficient    pam_unix.so sha512 shadow nullok
try_first_pass use_authtok
password      required      pam_deny.so

session       optional      pam_keyinit.so revoke
session       required      pam_limits.so
session       [success=1 default=ignore] pam_succeed_if.so service in
crond quiet  use_uid
session       required      pam_unix.so
```

```
[test1@test ~]$ su - test1
Password:
su: incorrect password // 1
[test1@test ~]$ su - test1
Password:
su: incorrect password // 2
[test1@test ~]$ su - test1
Password:
su: incorrect password // 3
[test1@test ~]$ su - test1
Account locked due to 4 failed logins // 4
Password:
su: incorrect password
[test1@test ~]$ su - test1
Account locked due to 5 failed logins // 5

Password:
su: incorrect password

[root@test ~]# pam_tally2 //
Login          Failures Latest failure     From
test1           5      01/19/15 14:17:11  pts/0

[root@test ~]# pam_tally2 --reset   //           failures
Login          Failures Latest failure     From
test1           5      01/19/15 14:17:11  pts/0
[root@test ~]# pam_tally2           //
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/rhel_%EC%84%9C%EB%B2%84_%EB%B3%B4%EC%95%88_%EC%A0%90%EA%B2%80_%EA%B0%80%EC%9D%B4%EB%93%9C?rev=1421644890

Last update: 2015/06/18 15:49

