RHEL 8/9 VM Template Sealing

VM   .

1. Unregister the system from Red Hat:

     .

```
# subscription-manager unregister
# subscription-manager remove --all
# subscription-manager clean
```

2. /etc/sysconfig/network-scripts/ifcfg-ethX (RHEL 8)
/etc/NetworkManager/system-connections/ensX.nmconnection (RHEL 9)
              UUID   HWADDRESS, MAC ADDRESS   .   IP
   DNS   ,   .

```
DEVICE="eth0"
BOOTPROTO="dhcp"
HWADDR="AA:BB:CC:DD:EE:FF"          <-------- remove this line
NM_CONTROLLED="yes"
ONBOOT="yes"
TYPE="Ethernet"
UUID="954bd22c-f96c-4b59-9445-b39dd86ac8ab" <-------- remove this line
```

3. /etc/hosts /etc/resolv.conf   .

4. MAC   .

```
# rm -rf /etc/udev/rules.d/70-persistent-*
```

5.

```
# hostnamectl set-hostname localhost.localdomain
```

6. host SSH keys

```
# rm -rf /etc/ssh/ssh_host_*
```

7.   ID

- RHEL 8

```
# rm /var/lib/dbus/machine-id
# echo "uninitialized" > /etc/machine-id
```

- RHEL 9

```
# rm /etc/machine-id
# echo "uninitialized" > /etc/machine-id
```

8.   Satellite

```
# dnf remove -y katello-ca-consumer\*
# rm -f /etc/rhsm/facts/katello.facts
```

9. iSCSI initiator utils

```
# rm /etc/iscsi/initiatorname.iscsi
```

10.   RHEL9   system.devices   .
https://access.redhat.com/solutions/6988988

11.   .

```
# poweroff
```

- https://access.redhat.com/solutions/5793031
- https://access.redhat.com/documentation/en-us/red_hat_virtualization/4.4/html/virtual_machine_management_guide/chap-templates

From:
https://atl.kr/dokuwiki/ - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/rhel_8_9_vm_template_sealing

Last update: **2023/05/26 00:58**