

**RHEL 8/9 VM Template Sealing** ..... 3  
..... 3  
..... 4



# RHEL 8/9 VM Template Sealing

VM

1. Unregister the system from Red Hat:

```
# subscription-manager unregister
# subscription-manager remove --all
# subscription-manager clean
```

2. /etc/sysconfig/network-scripts/ifcfg-ethX (RHEL 8)

/etc/NetworkManager/system-connections/ensX.nmconnection (RHEL 9)

```
        UUID          HWADDRESS, MAC ADDRESS          IP
DNS      ,
```

```
DEVICE="eth0"
BOOTPROTO="dhcp"
HWADDR="AA:BB:CC:DD:EE:FF" <----- remove this line
NM_CONTROLLED="yes"
ONBOOT="yes"
TYPE="Ethernet"
UUID="954bd22c-f96c-4b59-9445-b39dd86ac8ab" <----- remove this line
```

3. /etc/hosts /etc/resolv.conf 가

4. MAC

```
# rm -rf /etc/udev/rules.d/70-persistent-*
```

5.

```
# hostnamectl set-hostname localhost.localdomain
```

6. host SSH keys

```
# rm -rf /etc/ssh/ssh_host_*
```

## 7. ID

- RHEL 8

```
# rm /var/lib/dbus/machine-id  
# echo "uninitialized" > /etc/machine-id
```

- RHEL 9

```
# rm /etc/machine-id  
# echo "uninitialized" > /etc/machine-id
```

## 8. Satellite

```
# dnf remove -y katello-ca-consumer\  
# rm -f /etc/rhsm/facts/katello.facts
```

## 9. iSCSI initiator utils 가

```
# rm /etc/iscsi/initiatorname.iscsi
```

## 10. RHEL9 system.devices 가 . <https://access.redhat.com/solutions/6988988>

## 11. .

```
# poweroff
```

- <https://access.redhat.com/solutions/5793031>
- [https://access.redhat.com/documentation/en-us/red\\_hat\\_virtualization/4.4/html/virtual\\_machine\\_management\\_guide/chap-templates](https://access.redhat.com/documentation/en-us/red_hat_virtualization/4.4/html/virtual_machine_management_guide/chap-templates)

From:  
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/rhel\\_8\\_9\\_vm\\_template\\_sealing](https://atl.kr/dokuwiki/doku.php/rhel_8_9_vm_template_sealing)

Last update: **2023/05/26 00:58**

