

RHEL /proc/meminfo 3

Environment 3

..... 3

free -k /proc/meminfo 4

..... 4

RHEL 5, RHEL 6 and RHEL 7 4

RHEL 7 only 4

..... 4

RHEL 5, RHEL 6 and RHEL 7 4

RHEL 6 and RHEL 7 only 5

..... 5

RHEL 5, RHEL 6 and RHEL 7 5

RHEL 6 and RHEL 7 only 5

..... 6

RHEL 6 and RHEL 7 only

- Active(anon):
- Inactive(anon): 가
- Active(file): 가
- Inactive(file):
- Unevictable: 가
- Mlocked: mlock() . Mlocked
- Unvictable .

RHEL 5, RHEL 6 and RHEL 7

- SwapTotal: 가
- SwapFree:
- Dirty:
- Writeback:
- AnonPages:
- Mapped: mmaped
- Slab:
- PageTables: 가 가
- NFS_Unstable: NFS
- Bounce: bounce buffer
- CommitLimit: (vm.overcommit_ratio) 가
- Committed_AS: (vm.overcommit_memory 2). 가
- VmallocTotal: vmalloc
- VmallocUsed: vmalloc
- VmallocChunk: vmalloc 가
- HugePages_Total: (vm.nr_hugepages)
- HugePages_Free: hugepage
- HugePages_Rsvd: hugepage
- Hugepagesize: hugepage (2MB)

RHEL 6 and RHEL 7 only

- Shmem: (RAM , SHSEM)
- SReclaimable: Slab ()
- SUnreclaim: 가 Slab
- KernelStack: 가
- WritebackTmp: FUSE
- HardwareCorrupted: RAM

