

RHV 4.x 3

..... 3

RHV (4.0) 3

0. rhv-m (vm) 3

1. RHV-M engine-setup (vm) 3

2. RHV-M /etc/hosts (vm) 3

3. RHV-M singlehost.sh < /IP> (vm) 3

4. vdsmd (vm) 4

5. (. VM .) 4

6. 5

7. 5

..... 5

..... 5

가 5

Last update:
2025/06/24
13:11

rhv_4.x_
-

https://atl.kr/dokuwiki/doku.php/rhv_4.x_%EC%9D%B8%EC%A6%9D%EC%84%9C_%EA%B0%B1%EC%8B%A0

RHV 4.x

— 2023/05/28 13:14

```
sun.security.validator.ValidatorException: PKIX path validation failed:
java.security.cert.CertPathValidatorException: validity check failed
```

RHV (4.0)

- NTP 가

0. rhv-m (vm)

```
engine-backup --scope=all --mode=backup --file=<BACKUP_FILE> --
log=<LOG_FILE>
```

1. RHV-M engine-setup (vm)

```
Renew certificates? (Yes, No) [No]: yes
```

```
/etc/hosts ( )
```

2. RHV-M /etc/hosts (vm)

```
root .ssh ssh root@host
( )
```

3. RHV-M singlehost.sh < /IP> (vm)

<https://access.redhat.com/sites/default/files/attachments/singlehost.sh> (

```
) RHV-M singlehost.zip
/IP
```

```
./singlehost.sh 10.33.4.11
```

4. vdsmd (vm)

```
systemctl daemon-reload  
systemctl restart vdsmd
```

```
: systemctl restart vdsmd
```

hosts가 active (10)

- SPM Contending → SPM (10)
-
- VM

VM Live migration (: 가 가 VM) VM 가 가 VM

libvirtd 가 SPM 가

```
# . VM .  
$ systemctl restart libvirtd  
# RHEV 3.x  
$ vdsm-tool service-restart libvirtd
```

 libvirtd VM RHV 가
VM 가
VM 가

https://bugzilla.redhat.com/show_bug.cgi?id=1946697
https://bugzilla.redhat.com/show_bug.cgi?id=1836865

vdsmd 가 Up
ovirt-engine .

```
$ systemctl restart ovirt-engine  
#  
$ sync; reboot
```

5. (. VM .)

(SPM)

6.

7.

- 가 ISO Domain detach .

VM

Failed to mount /sysroot

- <https://access.redhat.com/solutions/6974830>
- <https://access.redhat.com/solutions/3532921>
- <https://access.redhat.com/solutions/6865861>
- <https://access.redhat.com/solutions/3329431>
- <https://access.redhat.com/solutions/4780411>

가

engine-setup PKI Renew 가 engine-setup --
config-append=renew.conf .

renew.conf

```
[environment:default]
OVESETUP_PKI/renew=bool:True
OVEHOST_PKI_GENERATENEW=bool:True
OVESETUP_RENEW_PKI=bool:True
OVESETUP_PKI_PRESERVE=bool:False
```

CA()가 CA 가 CA (re-enroll)

openssl 가 “ (Serial Number) 가 (Issuer)

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/rhv_4.x_%EC%9D%B8%EC%A6%9D%EC%84%9C_%EA%B0%B1%EC%8B%A0

Last update: **2025/06/24 13:11**

