

|                                     |   |
|-------------------------------------|---|
| <b>RHV 4.x</b>                      | 3 |
|                                     | 3 |
| <b>RHV</b> (4.0 )                   | 3 |
| 0. rhv-m (vm )                      | 3 |
| 1. RHV-M engine-setup (vm )         | 3 |
| 2. RHV-M /etc/hosts (vm )           | 3 |
| 3. RHV-M singlehost.sh < /IP> (vm ) | 3 |
| 4. vdsmd (vm )                      | 4 |
| 5. ( . VM .)                        | 4 |
| 6.                                  | 5 |
| 7.                                  | 5 |
|                                     | 5 |
|                                     | 5 |
|                                     | 5 |
| 가                                   | 5 |



# RHV 4.x

— 2023/05/28 13:14

```
sun.security.validator.ValidatorException: PKIX path validation failed:
java.security.cert.CertPathValidatorException: validity check failed
```

**RHV** (4.0 )

- NTP 가

**0. rhv-m** (vm )

```
engine-backup --scope=all --mode=backup --file=<BACKUP_FILE> --
log=<LOG_FILE>
```

**1. RHV-M engine-setup** (vm )

```
Renew certificates? (Yes, No) [No]: yes
```

/etc/hosts ( )

**2. RHV-M /etc/hosts** (vm )

```
root .ssh ssh root@host
( )
```

**3. RHV-M singlehost.sh < /IP>** (vm )

<https://access.redhat.com/sites/default/files/attachments/singlehost.sh> (

) RHV-M singlehost.zip  
/IP

```
./singlehost.sh 10.33.4.11
```

#### 4. vdsmd (vm )

```
systemctl daemon-reload
systemctl restart vdsmd
```

: systemctl restart vdsmd

hosts가 active ( 10 )

- SPM Contending → SPM ( 10 )
- 
- VM

VM Live migration ( : 가  
) VM → 가 가 VM

libvirtd 가 SPM 가

```
# . VM .
$ systemctl restart libvirtd
# RHEV 3.x
$ vdsmd-tool service-restart libvirtd
```



libvirtd VM RHV 가  
VM 가

[https://bugzilla.redhat.com/show\\_bug.cgi?id=1946697](https://bugzilla.redhat.com/show_bug.cgi?id=1946697)  
[https://bugzilla.redhat.com/show\\_bug.cgi?id=1836865](https://bugzilla.redhat.com/show_bug.cgi?id=1836865)

vdsmd 가 Up  
ovirt-engine .

```
$ systemctl restart ovirt-engine
#
$ sync; reboot
```

#### 5. ( . VM .)

→ → ( SPM )

→

6.

7.

- 가 ISO Domain detach .

VM

Failed to mount /sysroot

- <https://access.redhat.com/solutions/6974830>
- <https://access.redhat.com/solutions/3532921>
- <https://access.redhat.com/solutions/6865861>
- <https://access.redhat.com/solutions/3329431>
- <https://access.redhat.com/solutions/4780411>

가

engine-setup PKI Renew 가 engine-setup --  
config-append=renew.conf .

renew.conf

```
[environment:default]
OVESETUP_PKI/renew=bool:True
OVEHOST_PKI_GENERATENEW=bool:True
OVESETUP_RENEW_PKI=bool:True
OVESETUP_PKI_PRESERVE=bool:False
```

CA( )가 CA 가 , CA (re-enroll)

, (Issuer)

openssl (Serial Number)

. 가 “ ” 가 .  
/

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/rhv\\_4.x\\_%EC%9D%B8%EC%A6%9D%EC%84%9C\\_%EA%B0%B1%EC%8B%A0?rev=1750770668](https://atl.kr/dokuwiki/doku.php/rhv_4.x_%EC%9D%B8%EC%A6%9D%EC%84%9C_%EA%B0%B1%EC%8B%A0?rev=1750770668)

Last update: 2025/06/24 13:11

