

- RHV 4.x Manager WebUI Port change** ..... 3
- Change http port from 80 to 8080*** ..... 3
- Change https port from 443 to 8443*** ..... 3
- Change ovirt-engine configurations*** ..... 3
- Restart ovirt-engine and httpd services*** ..... 3
- ..... 3



# RHV 4.x Manager WebUI Port change

## Change http port from 80 to 8080

/etc/httpd/conf/httpd.conf

```
Listen 8080
```

## Change https port from 443 to 8443

/etc/httpd/conf.d/ssl.conf

```
Listen 8443  
<VirtualHost _default_:8443>
```

## Change ovirt-engine configurations

/etc/ovirt-engine/engine.conf.d

```
/etc/ovirt-engine/engine.conf.d/99-my-custom-settings.conf:  
ENGINE_PROXY_HTTP_PORT=8080  
ENGINE_PROXY_HTTPS_PORT=8443  
ENGINE_SSO_AUTH_URL="https://${ENGINE_FQDN}:8443/ovirt-engine/sso"  
ENGINE_SSO_SERVICE_URL="https://localhost:8443/ovirt-engine/sso"  
SSO_ALTERNATE_ENGINE_FQDNS="${ENGINE_FQDN}:8443"  
SSO_ENGINE_URL="https://${ENGINE_FQDN}:8443/ovirt-engine/"
```

## Restart ovirt-engine and httpd services

```
systemctl restart httpd  
systemctl restart ovirt-engine
```

- <https://access.redhat.com/solutions/3003331>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

[https://atl.kr/dokuwiki/doku.php/rhv\\_4.x\\_manager\\_webui\\_port\\_change](https://atl.kr/dokuwiki/doku.php/rhv_4.x_manager_webui_port_change)

Last update: **2023/06/16 01:31**

