

Rocky Linux 3
 / 3
 Rocky Linux Repository 3

Rocky Linux

- CentOS Rocky <https://docs.rockylinux.org/guides/migrate2rocky/>
- Rocky Linux Instructional Books <https://docs.rockylinux.org/id/books/>

/

- [release lock](#)

Rocky Linux Repository

Rocky Linux 3 가 .

- BaseOS
- AppStream
- Extras

가 가 .

```
[root@rocky9-repo ~]# dnf repolist all
repo id          repo name
status
appstream        Rocky Linux 9 - AppStream
enabled
appstream-debuginfo Rocky Linux 9 - AppStream - Debug
disabled
appstream-source Rocky Linux 9 - AppStream - Source
disabled
baseos           Rocky Linux 9 - BaseOS
enabled
baseos-debuginfo Rocky Linux 9 - BaseOS - Debug
disabled
baseos-source    Rocky Linux 9 - BaseOS - Source
disabled
crb              Rocky Linux 9 - CRB
disabled
crb-debuginfo    Rocky Linux 9 - CRB - Debug
disabled
crb-source       Rocky Linux 9 - CRB - Source
disabled
devel            Rocky Linux 9 - Devel WARNING! FOR BUILDROOT
disabled
devel-debuginfo  Rocky Linux 9 - Devel Debug WARNING! FOR BUI
disabled
devel-source     Rocky Linux 9 - Devel Source WARNING! FOR BU
disabled
```

extras	Rocky Linux 9 - Extras
enabled	
extras-debuginfo	Rocky Linux 9 - Extras Debug
disabled	
extras-source	Rocky Linux 9 - Extras Source
disabled	
highavailability	Rocky Linux 9 - High Availability
disabled	
highavailability-debuginfo	Rocky Linux 9 - High Availability - Debug
disabled	
highavailability-source	Rocky Linux 9 - High Availability - Source
disabled	
nfv	Rocky Linux 9 - NFV
disabled	
nfv-debuginfo	Rocky Linux 9 - NFV Debug
disabled	
nfv-source	Rocky Linux 9 - NFV Source
disabled	
plus	Rocky Linux 9 - Plus
disabled	
plus-debuginfo	Rocky Linux 9 - Plus - Debug
disabled	
plus-source	Rocky Linux 9 - Plus - Source
disabled	
resilientstorage	Rocky Linux 9 - Resilient Storage
disabled	
resilientstorage-debuginfo	Rocky Linux 9 - Resilient Storage - Debug
disabled	
resilientstorage-source	Rocky Linux 9 - Resilient Storage - Source
disabled	
rt	Rocky Linux 9 - Realtime
disabled	
rt-debuginfo	Rocky Linux 9 - Realtime Debug
disabled	
rt-source	Rocky Linux 9 - Realtime Source
disabled	
sap	Rocky Linux 9 - SAP
disabled	
sap-debuginfo	Rocky Linux 9 - SAP Debug
disabled	
sap-source	Rocky Linux 9 - SAP Source
disabled	
saphana	Rocky Linux 9 - SAPHANA
disabled	
saphana-debuginfo	Rocky Linux 9 - SAPHANA Debug
disabled	
saphana-source	Rocky Linux 9 - SAPHANA Source
disabled	

Disabled

dnf config-manager -

-set-enable <REPO>

```
[root@rocky9-repo]# dnf config-manager --set-enable highavailability plus
[root@rocky9-repo ~]# dnf repolist all
repo id                repo name
status
appstream              Rocky Linux 9 - AppStream
enabled
appstream-debuginfo   Rocky Linux 9 - AppStream - Debug
disabled
appstream-source       Rocky Linux 9 - AppStream - Source
disabled
baseos                 Rocky Linux 9 - BaseOS
enabled
baseos-debuginfo       Rocky Linux 9 - BaseOS - Debug
disabled
baseos-source          Rocky Linux 9 - BaseOS - Source
disabled
crb                   Rocky Linux 9 - CRB
disabled
crb-debuginfo          Rocky Linux 9 - CRB - Debug
disabled
crb-source             Rocky Linux 9 - CRB - Source
disabled
devel                  Rocky Linux 9 - Devel WARNING! FOR BUILDROOT
disabled
devel-debuginfo        Rocky Linux 9 - Devel Debug WARNING! FOR BUI
disabled
devel-source           Rocky Linux 9 - Devel Source WARNING! FOR BU
disabled
extras                 Rocky Linux 9 - Extras
enabled
extras-debuginfo       Rocky Linux 9 - Extras Debug
disabled
extras-source          Rocky Linux 9 - Extras Source
disabled
highavailability       Rocky Linux 9 - High Availability
enabled
highavailability-debuginfo Rocky Linux 9 - High Availability - Debug
disabled
highavailability-source Rocky Linux 9 - High Availability - Source
disabled
nfv                   Rocky Linux 9 - NFV
disabled
nfv-debuginfo          Rocky Linux 9 - NFV Debug
disabled
nfv-source             Rocky Linux 9 - NFV Source
disabled
plus                  Rocky Linux 9 - Plus
enabled
```

plus-debuginfo disabled	Rocky Linux 9 - Plus - Debug
plus-source disabled	Rocky Linux 9 - Plus - Source
resilientstorage disabled	Rocky Linux 9 - Resilient Storage
resilientstorage-debuginfo disabled	Rocky Linux 9 - Resilient Storage - Debug
resilientstorage-source disabled	Rocky Linux 9 - Resilient Storage - Source
rt disabled	Rocky Linux 9 - Realtime
rt-debuginfo disabled	Rocky Linux 9 - Realtime Debug
rt-source disabled	Rocky Linux 9 - Realtime Source
sap disabled	Rocky Linux 9 - SAP
sap-debuginfo disabled	Rocky Linux 9 - SAP Debug
sap-source disabled	Rocky Linux 9 - SAP Source
saphana disabled	Rocky Linux 9 - SAPHANA
saphana-debuginfo disabled	Rocky Linux 9 - SAPHANA Debug
saphana-source disabled	Rocky Linux 9 - SAPHANA Source

dnf config-manager --set-disable highavailability plus

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/rocky_linux

Last update: **2025/06/09 08:05**

