

<b>Rocky Linux</b>	.....	3
<b><i>Rocky Linux Repository</i></b>	.....	3



# Rocky Linux

- CentOS → Rocky <https://docs.rockylinux.org/guides/migrate2rocky/>
- Rocky Linux Instructional Books <https://docs.rockylinux.org/id/books/>

## Rocky Linux Repository

Rocky Linux

3

가

- BaseOS
- AppStream
- Extras

가 가 .

```
[root@rocky9-repo ~]# dnf repolist all
repo id                                repo name
status
appstream                               Rocky Linux 9 - AppStream
enabled
appstream-debuginfo                     Rocky Linux 9 - AppStream - Debug
disabled
appstream-source                        Rocky Linux 9 - AppStream - Source
disabled
baseos                                  Rocky Linux 9 - BaseOS
enabled
baseos-debuginfo                       Rocky Linux 9 - BaseOS - Debug
disabled
baseos-source                           Rocky Linux 9 - BaseOS - Source
disabled
crb                                     Rocky Linux 9 - CRB
disabled
crb-debuginfo                          Rocky Linux 9 - CRB - Debug
disabled
crb-source                             Rocky Linux 9 - CRB - Source
disabled
devel                                   Rocky Linux 9 - Devel WARNING! FOR BUILDROOT
disabled
devel-debuginfo                        Rocky Linux 9 - Devel Debug WARNING! FOR BUI
disabled
devel-source                           Rocky Linux 9 - Devel Source WARNING! FOR BU
disabled
extras                                 Rocky Linux 9 - Extras
enabled
extras-debuginfo                      Rocky Linux 9 - Extras Debug
disabled
extras-source                          Rocky Linux 9 - Extras Source
```

disabled	
highavailability	Rocky Linux 9 - High Availability
disabled	
highavailability-debuginfo	Rocky Linux 9 - High Availability - Debug
disabled	
highavailability-source	Rocky Linux 9 - High Availability - Source
disabled	
nfv	Rocky Linux 9 - NFV
disabled	
nfv-debuginfo	Rocky Linux 9 - NFV Debug
disabled	
nfv-source	Rocky Linux 9 - NFV Source
disabled	
plus	Rocky Linux 9 - Plus
disabled	
plus-debuginfo	Rocky Linux 9 - Plus - Debug
disabled	
plus-source	Rocky Linux 9 - Plus - Source
disabled	
resilientstorage	Rocky Linux 9 - Resilient Storage
disabled	
resilientstorage-debuginfo	Rocky Linux 9 - Resilient Storage - Debug
disabled	
resilientstorage-source	Rocky Linux 9 - Resilient Storage - Source
disabled	
rt	Rocky Linux 9 - Realtime
disabled	
rt-debuginfo	Rocky Linux 9 - Realtime Debug
disabled	
rt-source	Rocky Linux 9 - Realtime Source
disabled	
sap	Rocky Linux 9 - SAP
disabled	
sap-debuginfo	Rocky Linux 9 - SAP Debug
disabled	
sap-source	Rocky Linux 9 - SAP Source
disabled	
saphana	Rocky Linux 9 - SAPHANA
disabled	
saphana-debuginfo	Rocky Linux 9 - SAPHANA Debug
disabled	
saphana-source	Rocky Linux 9 - SAPHANA Source
disabled	

Disabled dnf config-manager -  
-set-enable <REPO>

```
[root@rocky9-repo]# dnf config-manager --set-enable highavailability plus  
[root@rocky9-repo ~]# dnf repolist all
```

repo id	repo name
status	
appstream	Rocky Linux 9 - AppStream
enabled	
appstream-debuginfo	Rocky Linux 9 - AppStream - Debug
disabled	
appstream-source	Rocky Linux 9 - AppStream - Source
disabled	
baseos	Rocky Linux 9 - BaseOS
enabled	
baseos-debuginfo	Rocky Linux 9 - BaseOS - Debug
disabled	
baseos-source	Rocky Linux 9 - BaseOS - Source
disabled	
crb	Rocky Linux 9 - CRB
disabled	
crb-debuginfo	Rocky Linux 9 - CRB - Debug
disabled	
crb-source	Rocky Linux 9 - CRB - Source
disabled	
devel	Rocky Linux 9 - Devel WARNING! FOR BUILDROOT
disabled	
devel-debuginfo	Rocky Linux 9 - Devel Debug WARNING! FOR BUI
disabled	
devel-source	Rocky Linux 9 - Devel Source WARNING! FOR BU
disabled	
extras	Rocky Linux 9 - Extras
enabled	
extras-debuginfo	Rocky Linux 9 - Extras Debug
disabled	
extras-source	Rocky Linux 9 - Extras Source
disabled	
highavailability	Rocky Linux 9 - High Availability
enabled	
highavailability-debuginfo	Rocky Linux 9 - High Availability - Debug
disabled	
highavailability-source	Rocky Linux 9 - High Availability - Source
disabled	
nfv	Rocky Linux 9 - NFV
disabled	
nfv-debuginfo	Rocky Linux 9 - NFV Debug
disabled	
nfv-source	Rocky Linux 9 - NFV Source
disabled	
plus	Rocky Linux 9 - Plus
enabled	
plus-debuginfo	Rocky Linux 9 - Plus - Debug
disabled	
plus-source	Rocky Linux 9 - Plus - Source
disabled	
resilientstorage	Rocky Linux 9 - Resilient Storage

```
disabled
resilientstorage-debuginfo Rocky Linux 9 - Resilient Storage - Debug
disabled
resilientstorage-source      Rocky Linux 9 - Resilient Storage - Source
disabled
rt                         Rocky Linux 9 - Realtime
disabled
rt-debuginfo                Rocky Linux 9 - Realtime Debug
disabled
rt-source                   Rocky Linux 9 - Realtime Source
disabled
sap                        Rocky Linux 9 - SAP
disabled
sap-debuginfo               Rocky Linux 9 - SAP Debug
disabled
sap-source                  Rocky Linux 9 - SAP Source
disabled
saphana                     Rocky Linux 9 - SAPHANA
disabled
saphana-debuginfo           Rocky Linux 9 - SAPHANA Debug
disabled
saphana-source               Rocky Linux 9 - SAPHANA Source
disabled
```

dnf config-manager --set-disable highavailability plus

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!



Permanent link:

[https://atl.kr/dokuwiki/doku.php/rocky\\_linux](https://atl.kr/dokuwiki/doku.php/rocky_linux)

Last update: **2024/11/08 08:29**