

ROOT PASSWORD	3
<i>RedHat 6</i>	3
<i>RedHat 7</i>	3

ROOT PASSWORD

RedHat 6

root	single user mode	root	.
Step 1. OS	GRUB 2 boot	e	grub
Step 2. grub	linux16	single	.

RedHat 7

root	single user mode	root	.
Step 1. OS	GRUB 2 boot	e	grub
Step 2. grub	linux16	rd.break	.

```
insmod xfs
set root='hd0,msdos1'
if [ x$feature_platform_search_hint = xy ]; then
    search --no-floppy --fs-uuid --set=root --hint-bios=hd0,msdos1 --hin\
t-efi=hd0,msdos1 --hint-baremetal=ahci0,msdos1 --hint='hd0,msdos1' 3ae6b8a2-6\
020-452b-8b91-734ad74c9cf5
else
    search --no-floppy --fs-uuid --set=root 3ae6b8a2-6020-452b-8b91-734a\
d74c9cf5
fi
linux16 /vmlinuz-3.10.0-123.el7.x86_64 root=UUID=fbf7215a-3bd8-4513-af\
7c-de5c4548ed2c ro rd.lvm.lv=rhel/root crashkernel=auto rd.lvm.lv=rhel/swap v\
console.font=latarcyrheb-sun16 vconsole.keymap=us rhgb quiet LANG=en_US.UTF-8 \
rd.break
initrd16 /initramfs-3.10.0-123.el7.x86_64.img

Press Ctrl-x to start, Ctrl-c for a command prompt or Escape to
discard edits and return to the menu. Pressing Tab lists
possible completions.
```

Step 3. Ctrl+X	/sysroot	.
Step 4.	read-only	read-write

```
switch_root:/# mount -o remount,rw /sysroot
```

Step 5. chroot	/sysroot	.
----------------	----------	---

```
switch_root:/# chroot /sysroot
```

Step 6. root password

Last update: root_
2015/06/18 https://atl.kr/dokuwiki/doku.php/root_%ED%8C%A8%EC%8A%A4%EC%9B%8C%EB%93%9C_%EB%B3%80%EA%B2%BD
15:49 -

```
sh-4.2# passwd root
New password:
Retype new password:
```

Step 7.

```
sh-4.2# touch /.autorelabel
```

Step 8.

가

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/root_%ED%8C%A8%EC%8A%A4%EC%9B%8C%EB%93%9C_%EB%B3%80%EA%B2%BD

Last update: **2015/06/18 15:49**

