

Run Level	3
RedHat 6	3
RedHat 7	4

Run Level

RedHat 6

1. runlevel

```
[root@localhost ~]# runlevel
N 3
```

2. inittab runlevel

```
[root@localhost ~]# vim /etc/init
```

```
# inittab is only used by upstart for the default runlevel.
#
# ADDING OTHER CONFIGURATION HERE WILL HAVE NO EFFECT ON YOUR SYSTEM.
#
# System initialization is started by /etc/init/rcS.conf
#
# Individual runlevels are started by /etc/init/rc.conf
#
# Ctrl-Alt-Delete is handled by /etc/init/control-alt-delete.conf
#
# Terminal gettys are handled by /etc/init/tty.conf and
/etc/init/serial.conf,
# with configuration in /etc/sysconfig/init.
#
# For information on how to write upstart event handlers, or how
# upstart works, see init(5), init(8), and initctl(8).
#
# Default runlevel. The runlevels used are:
# 0 - halt (Do NOT set initdefault to this)
# 1 - Single user mode
# 2 - Multiuser, without NFS (The same as 3, if you do not have
networking)
# 3 - Full multiuser mode
# 4 - unused
# 5 - X11
# 6 - reboot (Do NOT set initdefault to this)
#
id:5:initdefault:
```

3. System reboot

```
[root@localhost ~]# reboot
```

RedHat 7

1. RHEL7 target

```
[root@localhost etc]# systemctl list-units --type=target --all
UNIT                                LOAD    ACTIVE SUB    DESCRIPTION
basic.target                        loaded active active Basic System
cryptsetup.target                  loaded active active Encrypted Volumes
emergency.target                   loaded inactive dead   Emergency Mode
final.target                        loaded inactive dead   Final Step
getty.target                        loaded active active Login Prompts
graphical.target                   loaded active active Graphical Interface
local-fs-pre.target                loaded active active Local File Systems (Pre)
local-fs.target                     loaded active active Local File Systems
multi-user.target                  loaded active active Multi-User System
network-online.target              loaded inactive dead   Network is Online
network.target                     loaded active active Network
nfs.target                          loaded active active Network File System Server
nss-lookup.target                  loaded inactive dead   Host and Network Name Lookups
nss-user-lookup.target             loaded inactive dead   User and Group Name Lookups
paths.target                       loaded active active Paths
remote-fs-pre.target               loaded inactive dead   Remote File Systems (Pre)
remote-fs.target                   loaded active active Remote File Systems
rescue.target                       loaded inactive dead   Rescue Mode
shutdown.target                    loaded inactive dead   Shutdown
slices.target                       loaded active active Slices
sockets.target                     loaded active active Sockets
swap.target                         loaded active active Swap
sysinit.target                     loaded active active System Initialization
syslog.target                       not-found inactive dead   syslog.target
time-sync.target                   loaded inactive dead   System Time Synchronized
timers.target                       loaded active active Timers
umount.target                       loaded inactive dead   Unmount All Filesystems
```

LOAD = Reflects whether the unit definition was properly loaded.
ACTIVE = The high-level unit activation state, i.e. generalization of SUB.
SUB = The low-level unit activation state, values depend on unit type.

27 loaded units listed.
To show all installed unit files use 'systemctl list-unit-files'.

2. runlevel

```
[root@localhost ~]# runlevel
N 3
```

3. runlevel

```
[root@localhost ~]# systemctl set-default graphical.target
rm '/etc/systemd/system/default.target'
ln -s '/usr/lib/systemd/system/graphical.target'
'/etc/systemd/system/default.target'
```

4. runlevel

```
[root@localhost ~]# runlevel
N 5
```

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/run_level_%EB%B3%80%EA%B2%BD

Last update: **2015/06/18 15:49**

