

selinux - SSH port 3

 가 3

 4

selinux - SSH port

```
SSHD . 2200 .
```

```
vi /etc/ssh/sshd_config
```

```
<<----Output Redacted----->>
# If you want to change the port on a SELinux system, you have to tell
# SELinux about this change.
# semanage port -a -t ssh_port_t -p tcp #PORTNUMBER
#
Port 2200
#AddressFamily any
#ListenAddress 0.0.0.0
#ListenAddress ::
<<l----Ourput Redacted----->>
```

```
selinux          ssh_port_t .
```

```
$ semanage port -a -t ssh_port_t -p tcp 2200
```

```
$ semanage port -l | grep ssh
```

```
sshd.service .
```

```
$ systemctl restart sshd.service
```

가

firewall

```
$ firewall-cmd --permanent --add-port=2200/tcp
$ firewall-cmd --reload
```

iptables

```
$ iptables -I INPUT 4 -p tcp -m multiport --destination-ports 22002 -m state
--state NEW -j ACCEPT

$ iptables -I INPUT 4 -p tcp -m multiport --dport 7975 -j ACCEPT
$ service iptables save
```

- <https://access.redhat.com/solutions/3955191>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/selinux_-_ssh_port_%EB%B3%80%EA%B2%BD?rev=1663899618

Last update: **2022/09/23 02:20**

