

- Session Cookie Domain** 3
- Tomcat** 3
- JBoss 3
- 4

Session Cookie Domain

Tomcat

```

server.xml          가          . <Context
sessionCookieDomain=".test.com">

```

JBoss

- 4.x
 - README.txt
- EAP 5.x
 - JBWEB-107 가 .
 - WEB-INF/context.xml <Context> <SessionCookie
 - domain="example.com"/> 가 .
 - (dev, qa, prod)

```
<SessionCookie domain="${session.domain}"/>
```

```
./run.sh ... -Dsession.domain=".qa.yourdomain.com"
```

- EAP 6.x
 - web.xml session-config

```

<web-app>
  ...
  <session-config>
    <cookie-config>
      <domain>yourdomain.com</domain>
    </cookie-config>
  </session-config>
</web-app>

```

<http://www.ietf.org/rfc/rfc2109.txt> "HTTP

"

Last update: session_cookie_domain_ https://atl.kr/dokuwiki/doku.php/session_cookie_domain_%EC%84%A4%EC%A0%95?rev=1491441767
2017/04/06 01:22

- <https://access.redhat.com/solutions/21267>

From:
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/session_cookie_domain_%EC%84%A4%EC%A0%95?rev=1491441767

Last update: **2017/04/06 01:22**

