

<b>sftp</b>	<b>last</b>	.....	3
<b>/etc/pam.d/sshd</b>		.....	3
		.....	4



# sftp

# last

```

                last      (      ssh)      .
sftp      last      /etc/pam.d/sshhd      가
.
session required pam_lastlog.so

```

## /etc/pam.d/sshhd

```

#%PAM-1.0
auth      required      pam_sepermit.so
auth      substack      password-auth
auth      include       postlogin
# Used with polkit to reauthorize users in remote sessions
-auth     optional      pam_reauthorize.so prepare
account   required      pam_nologin.so
account   include       password-auth
password  include       password-auth
# pam_selinux.so close should be the first session rule
session   required      pam_lastlog.so          # <<< --      가
session   required      pam_selinux.so close
session   required      pam_loginuid.so
# pam_selinux.so open should only be followed by sessions to be executed in
the user context
session   required      pam_selinux.so open env_params
session   required      pam_namespace.so
session   optional      pam_keyinit.so force revoke
session   include       password-auth
session   include       postlogin
# Used with polkit to reauthorize users in remote sessions
-session  optional      pam_reauthorize.so prepare

```

pam.d

sshhd

UsePAM Yes가

```
# vi /etc/ssh/ssh_config
```

```

-----
#UsePAM no
UsePAM yes
-----

```

```
# service sshd restart
```

- <https://askubuntu.com/questions/107602/command-last-does-not-show-logins-through-sftp-is-there-something-similar-or-an>

From: <https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link: [https://at1.kr/dokuwiki/doku.php/sftp\\_%EB%A1%9C%EA%B7%B8%EC%9D%B8\\_%EC%A0%95%EB%B3%B4%EB%A5%BC\\_last%EC%97%90%EB%8F%84\\_%ED%91%9C%EC%8B%9C%ED%95%98%EA%B8%B0](https://at1.kr/dokuwiki/doku.php/sftp_%EB%A1%9C%EA%B7%B8%EC%9D%B8_%EC%A0%95%EB%B3%B4%EB%A5%BC_last%EC%97%90%EB%8F%84_%ED%91%9C%EC%8B%9C%ED%95%98%EA%B8%B0)

Last update: 2022/10/03 06:46

