

- SSH -** 3
- /etc/ssh/sshd_config*** 3
- /etc/pam.d/sshd*** 3
- /etc/pam.d/system-auth 3
- 4

ssh_ -
Last update: -
2018/08/28 - https://atl.kr/dokuwiki/doku.php/ssh_-_%ED%8A%B9%EC%A0%95_%EC%82%AC%EC%9A%A9%EC%9E%90%EB%B3%84_%EC%A0%91%EA%B7%BC_%EC%84%A4%EC%A0%95?rev=1535447279
09:07 -

SSH -

/etc/ssh/sshd_config

```
# AllowGroups :
# AllowUsers   :
# DenyGroups  :
# DenyUsers   :

# user1 user2      (          )
DenyUsers user1 user2

# user1 user2      (          )
AllowUsers user1 user2

#          ( user001 ~ user100 )
DenyUsers user*

#          Allow Deny
                       가
```

/etc/pam.d/sshd

```
/etc/pam.d/sshd          sshd          telnet, console
                        /etc/pam.d/system-auth
```

```
##%PAM-1.0
auth required pam_listfile.so item=user sense=deny file=/etc/ssh/sshusers
onerr=succeed

#          가          /etc/ssh/sshusers          . (
          .)
```

```
# ssh          1
user1
user2
```

/etc/pam.d/system-auth

```
auth required pam_env.so

auth required pam_listfile.so # <<== new line add
```

```
auth sufficient pam_unix.so nullok try_first_pass
auth requisite pam_succeed_if.so uid>= 500 quiet
auth required pam_deny.so
```

```
#
auth required pam_listfile.so onerr=fail item=group sense=allow
file=/etc/login.group

#
auth required pam_listfile.so onerr=fail item=user sense=allow
file=/etc/login.group
```

- onerr = fail : (I/O). 가
- item = group : (user :)
- sense = allow : /etc/login.group (deny :
- file = /etc/login.group : / 가 . /
sense = allow PAM_SUCCESS가

- <https://access.redhat.com/solutions/252773>

From: <https://at.l.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://at.l.kr/dokuwiki/doku.php/ssh_-%ED%8A%B9%EC%A0%95_%EC%82%AC%EC%9A%A9%EC%9E%90%EB%B3%84_%EC%A0%91%EA%B7%BC_%EC%84%A4%EC%A0%95?rev=1535447279

Last update: 2018/08/28 09:07

