

**sshd: no hostkeys available** ..... 3



# sshd: no hostkeys available

```
Aug 29 08:20:29 ceph-ubuntu-1 sshd[1498]: sshd: no hostkeys available --  
exiting.  
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Control process  
exited, code=exited, status=1/FAILURE  
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Failed with result  
'exit-code'.  
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: Failed to start OpenBSD Secure  
Shell server.  
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Scheduled restart  
job, restart counter is at 3.
```

sshd 가 . /etc/ssh/sshd\_host\_\* key  
Ubuntu sshd 가

ssh-keygen -A

- -A : 가 (rsa, dsa, ecdsa ed25519)
- ,
- ,
- f

```
root@ceph-ubuntu-1:~# ssh-keygen -A
```

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!



Permanent link:  
[https://atl.kr/dokuwiki/doku.php/sshd\\_no\\_hostkeys\\_available](https://atl.kr/dokuwiki/doku.php/sshd_no_hostkeys_available)

Last update: 2024/08/29 08:32