

**sshd: no hostkeys available** ..... 3



# sshd: no hostkeys available

```

Aug 29 08:20:29 ceph-ubuntu-1 sshd[1498]: sshd: no hostkeys available --
exiting.
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Control process
exited, code=exited, status=1/FAILURE
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Failed with result
'exit-code'.
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: Failed to start OpenBSD Secure
Shell server.
Aug 29 08:20:29 ceph-ubuntu-1 systemd[1]: ssh.service: Scheduled restart
job, restart counter is at 3.

```

```

sshd          가          가          . /etc/ssh/sshd_host_* key
Ubuntu       .          sshd          가
.
.

```

```

root@ceph-ubuntu-1:~# ssh-keygen -A

```

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/sshd\\_no\\_hostkeys\\_available?rev=1724920217](https://atl.kr/dokuwiki/doku.php/sshd_no_hostkeys_available?rev=1724920217)

Last update: **2024/08/29 08:30**

