

Systemd journal log 3
..... 3

Systemd journal log

RHEL8 systemd journal log(dmesg)

/etc/systemd/journald.conf

```
# This file is part of systemd.
#
# systemd is free software; you can redistribute it and/or modify it
# under the terms of the GNU Lesser General Public License as published by
# the Free Software Foundation; either version 2.1 of the License, or
# (at your option) any later version.
#
# Entries in this file show the compile time defaults.
# You can change settings by editing this file.
# Defaults can be restored by simply deleting this file.
#
# See journald.conf(5) for details.

[Journal]
Storage=persistent
#Storage=auto
#Compress=yes
#Seal=yes
#SplitMode=uid
#SyncIntervalSec=5m
#RateLimitIntervalSec=30s
```

Storage=persistent 가

```
$ systemctl restart systemd-journald
```

systemd-journald /var/log/journal 가

- <https://access.redhat.com/solutions/696893>
- <https://serverfault.com/questions/809093/how-do-view-older-journalctl-logs-after-a-rotation-may-be>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/systemd_journal_log_%EC%A0%80%EC%9E%A5

Last update: **2023/03/21 01:21**

