

THP(Transparent Huge Pages)	3
<i>THP(Transparent Huge Pages)</i> ?	3
<i>THP</i>	3
<i>THP (in RHEL7)</i>	5

THP(Transparent Huge Pages)

: http://www.cubrid.com/zbxe/bbs_developer_faq/3550332

THP(Transparent Huge Pages) ?

THP

CPU Virtual address MMU가 Physical address
 Virtual address Physical address
 Page table TTB (Translation Table Base Address)

CPU가 TTB 가 가 Virtual
 address Physical address 가 Entry 가 가 TLB
 Physical address 가
 (Translation Lookaside Buffer)

CPU가 Virtual Address TLB Virtual Address Entry
 가 (hit) 가
 (miss) TTB(Translation Table Base Address) 1 Physical address
 Physical address 가

hit ratio가 miss 2 가 가
 . (, hit ratio가 TLB 가 .)

hit ratio가 TLB Entry ,
 page page table 가 TLB Entry가 . Entry
 page THP

THP 4KB 2MB 1GB
 RHEL 6

THP 가 disable

THP

•

```
[root@host]# cat /sys/kernel/mm/transparent_hugepage/enabled
```

```
[always] madvise never -> [always] 가 THP가  
always madvise [never] -> [never] 가 THP가
```

•

```
[root@host]# cat /proc/meminfo
```

가 .

```
MemTotal: 1003184 kB  
MemFree: 604844 kB  
MemAvailable: 750616 kB  
Buffers: 884 kB  
Cached: 143904 kB  
SwapCached: 0 kB  
Active: 160624 kB  
Inactive: 112368 kB  
Active(anon): 128912 kB  
Inactive(anon): 6356 kB  
Active(file): 31712 kB  
Inactive(file): 106012 kB  
Unevictable: 0 kB  
Mlocked: 0 kB  
SwapTotal: 2097148 kB  
SwapFree: 2097148 kB  
Dirty: 92 kB  
Writeback: 0 kB  
AnonPages: 128300 kB  
Mapped: 37492 kB  
Shmem: 7064 kB  
Slab: 60876 kB  
SReclaimable: 23024 kB  
SUnreclaim: 37852 kB  
KernelStack: 8480 kB  
PageTables: 6220 kB  
NFS_Unstable: 0 kB  
Bounce: 0 kB  
WritebackTmp: 0 kB  
CommitLimit: 2598740 kB  
Committed_AS: 494544 kB  
VmallocTotal: 34359738367 kB  
VmallocUsed: 185924 kB  
VmallocChunk: 34359535100 kB  
HardwareCorrupted: 0 kB
```

```

AnonHugePages:      0 kB
HugePages_Total:    0
HugePages_Free:     0
HugePages_Rsvd:     0
HugePages_Surp:     0
Hugepagesize:       2048 kB
DirectMap4k:        61312 kB
DirectMap2M:        987136 kB
DirectMap1G:        0 kB

```

0 THP가

```

AnonHugePages:      0 kB
HugePages_Total:    0
HugePages_Free:     0
HugePages_Rsvd:     0
HugePages_Surp:     0

```

```

Linux
가 AnonHugePages
가 0
THP
THP disable
[never]
AnonHugePages
가

```

THP (in RHEL7)

RHEL 7 THP

THP tuned

2가

가

Step 1: Initially, we should create a customized version of the currently running profile. The customized version will disable THP. Find out which profile is active, create a copy. In the following example we currently use the throughput-performance profile:

- tuned profile active
- active tuned profile

```
[root@host]# tuned-adm active
```

```

OS가 가 virtual-guest,
throughput-performance

```

```
Current active profile: throughput-performance // in Server default configuration
```

```
Current active profile: virtual-guest // in Virtual OS
```



```
[root@host]# cat /proc/cmdline
BOOT_IMAGE=/vmlinuz-3.10.0-229.20.1.el7.x86_64 root=/dev/mapper/centos-root
ro rd.lvm.lv=centos/root rd.lvm.lv=centos/swap crashkernel=auto rhgb
quiettransparent_hugepage=never
```

From:
<https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://at1.kr/dokuwiki/doku.php/thp_transparent_huge_pages_%EA%B8%B0%EB%8A%A5%EA%B3%BC_%EC%84%A4%EC%A0%95_%EB%B0%A9%EB%B2%95?rev=1458526141

Last update: 2016/03/21 02:09

