

tmpfs /tmp 3
RHEL 3
Amazon AWS EC2 7

tmpfs /tmp

— 2024/10/17 07:36

tmpfs

: <https://www.kernel.org/doc/html/v6.6/filesystems/tmpfs.html>

가
가

/tmp

tmpfs

RHEL

/usr/lib/systemd/system/tmp.mount

```
# SPDX-License-Identifier: LGPL-2.1-or-later
#
# This file is part of systemd.
#
# systemd is free software; you can redistribute it and/or modify it
# under the terms of the GNU Lesser General Public License as published by
# the Free Software Foundation; either version 2.1 of the License, or
# (at your option) any later version.

[Unit]
Description=Temporary Directory /tmp
Documentation=https://systemd.io/TEMPORARY_DIRECTORIES
Documentation=man:file-hierarchy(7)
Documentation=https://www.freedesktop.org/wiki/Software/systemd/APIFileSystems
ConditionPathIsSymbolicLink=!/tmp
DefaultDependencies=no
Conflicts=umount.target
Before=local-fs.target umount.target
After=swap.target

[Mount]
What=tmpfs
Where=/tmp
Type=tmpfs
Options=mode=1777,strictatime,nosuid,nodev,size=50%,nr_inodes=1m

# Make 'systemctl enable tmp.mount' work:
[Install]
WantedBy=local-fs.target
```

systemd /tmp tmpfs

```
$ systemctl enable tmp.mount
```

/tmp 가 tmpfs

/usr/lib/systemd/system/basic.target

```
# SPDX-License-Identifier: LGPL-2.1-or-later
#
# This file is part of systemd.
#
# systemd is free software; you can redistribute it and/or modify it
# under the terms of the GNU Lesser General Public License as published by
# the Free Software Foundation; either version 2.1 of the License, or
# (at your option) any later version.

[Unit]
Description=Basic System
Documentation=man:systemd.special(7)
Requires=sysinit.target
Wants=sockets.target timers.target paths.target slices.target
After=sysinit.target sockets.target paths.target slices.target tmp.mount

# We support /var, /tmp, /var/tmp, being on NFS, but we don't pull in
# remote-fs.target by default, hence pull them in explicitly here. Note that
# we
# require /var and /var/tmp, but only add a Wants= type dependency on /tmp,
# as
# we support that unit being masked, and this should not be considered an
# error.
RequiresMountsFor=/var /var/tmp
# RHEL-only: Disable /tmp on tmpfs.
#Wants=tmp.mount
```

```
# RHEL-only: Disable /tmp on tmpfs.
#Wants=tmp.mount
```

```
Wants=tmp.mount . RHEL /tmp tmpfs /tmp tmpfs
```

```

가
systemd가
amount /tmp
systemctl stop tmp.mount
tmp.mount

```

```

/tmp
가
가

```

```

[root@localhost ~]# df -hP
Filesystem      Size  Used Avail Use% Mounted on
devtmpfs        4.0M   0  4.0M   0% /dev
tmpfs           636M   0  636M   0% /dev/shm
tmpfs           255M  3.8M  251M   2% /run
/dev/mapper/rl-root 17G  1.3G   16G   8% /
/dev/vda1       960M  225M  736M  24% /boot
tmpfs           128M   0  128M   0% /run/user/0
tmpfs           636M   0  636M   0% /tmp

```

```

[root@localhost ~]# mount -o remount,size=10G /tmp

```

```

[root@localhost ~]# df -hP
Filesystem      Size  Used Avail Use% Mounted on
devtmpfs        4.0M   0  4.0M   0% /dev
tmpfs           636M   0  636M   0% /dev/shm
tmpfs           255M  3.8M  251M   2% /run
/dev/mapper/rl-root 17G  1.3G   16G   8% /
/dev/vda1       960M  225M  736M  24% /boot
tmpfs           128M   0  128M   0% /run/user/0
tmpfs           10G    0   10G   0% /tmp

```

```

[root@localhost ~]# free -m
              total             used             free             shared            buff/cache
available
Mem:           1271              306              865                7                249
964
Swap:          2047                0              2047

```

```

/tmp 10G , 1271M
/tmp 가
!!

```

```

[root@localhost ~]# cd /tmp/
[root@localhost tmp]# ll
total 0
[root@localhost tmp]# dd if=/dev/zero of=data bs=1M count=10
10+0 records in
10+0 records out
10485760 bytes (10 MB, 10 MiB) copied, 0.00415868 s, 2.5 GB/s
[root@localhost tmp]# dd if=/dev/zero of=data bs=1M count=100
100+0 records in
100+0 records out

```

```
104857600 bytes (105 MB, 100 MiB) copied, 0.0360715 s, 2.9 GB/s
[root@localhost tmp]# ll -h
total 100M
-rw-r--r--. 1 root root 100M Oct 17 17:05 data
[root@localhost tmp]# dd if=/dev/zero of=data bs=1M count=1000
1000+0 records in
1000+0 records out
1048576000 bytes (1.0 GB, 1000 MiB) copied, 0.375854 s, 2.8 GB/s
[root@localhost tmp]# ll -h
total 1000M
-rw-r--r--. 1 root root 1000M Oct 17 17:05 data
[root@localhost tmp]# free -m
              total            used             free             shared  buff/cache
available
Mem:           1271             1192              75              916             1064
79
Swap:          2047              91             1956
[root@localhost tmp]# dd if=/dev/zero of=data bs=1M count=3000
3000+0 records in
3000+0 records out
3145728000 bytes (3.1 GB, 2.9 GiB) copied, 2.35655 s, 1.3 GB/s
[root@localhost tmp]# ll -h
total 3.0G
-rw-r--r--. 1 root root 3.0G Oct 17 17:05 data
[root@localhost tmp]# free -m
              total            used             free             shared  buff/cache
available
Mem:           1271             1228              64              969             1068
42
Swap:          2047             2047              0
```

3000M
free 64 가

?

```
[root@localhost tmp]# dd if=/dev/zero of=data bs=1M count=4000
Connection closing...Socket close.

Connection closed by foreign host.

Disconnected from remote host(192.168.0.203:22) at 17:05:39.

Type `help' to learn how to use Xshell prompt.
[C:\~]$
```



```
[root@ip-172-31-17-98 ~]# systemctl disable --now tmp.mount
```

```
/tmp
```

```
systemctl disable tmp.mount
```

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/tmpfs%EC%99%80_tmp

Last update: **2024/10/17 08:13**

