

..... 3


```
<?xml version='1.0' encoding='utf-8'?>

<Context docBase="/context/root/path" privileged="true"
antiResourceLocking="false" antiJARLocking="false" reloadable="true">
  <Resource name="jdbc/jndiname" auth="Container"
    type="javax.sql.DataSource"
    maxActive="100"
    maxIdle="30"
    maxWait="10000"
    username="USERNAME"
    password="PASSWORD"
    driverClassName="oracle.jdbc.driver.OracleDriver"
    removeAbandoned="true"
    removeAbandonedTimeout="60"
    logAbandoned="true"
    validationQuery="select 1 from dual"
url="jdbc:oracle:thin:@(description=(address_list=(load_balance=on)(failover
=on)(address=(protocol=tcp)(host=10.0.0.1)(port=1521))(address=(protocol=tcp
)(host=10.0.0.2)(port=1521)))(connect_data=(service_name=SERVICE_NAME)(failo
ver_mode=(type=select)(method=basic)))" />
</Context>
```

- http://docs.oracle.com/database/121/nav/portal_5.htm
- <http://docs.oracle.com/database/121/jjUCP/rac.htm#JJUCP8269>

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/tomcat_%EC%97%90%EC%84%9C_oracle_rac_jndi_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0

Last update: 2015/06/18 15:49

