





```
<?xml version='1.0' encoding='utf-8'?>  
  
<Context docBase="/context/root/path" privileged="true"  
antiResourceLocking="false" antiJARLocking="false" reloadable="true">  
  <Resource name="jdbc/jndiname" auth="Container"  
    type="javax.sql.DataSource"  
    maxActive="100"  
    maxIdle="30"  
    maxWait="10000"  
    username="USERNAME"  
    password="PASSWORD"  
    driverClassName="oracle.jdbc.driver.OracleDriver"  
    removeAbandoned="true"  
    removeAbandonedTimeout="60"  
    logAbandoned="true"  
    validationQuery="select 1 from dual"  
    url="jdbc:oracle:thin:@(description=(address_list=(load_balance=on)(failover=on)(address=(protocol=tcp)(host=10.0.0.1)(port=1521))(address=(protocol=tcp)(host=10.0.0.2)(port=1521)))(connect_data=(service_name=SERVICE_NAME)(failover_mode=(type=select)(method=basic))))" />  
</Context>
```

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/tomcat\\_%EC%97%90%EC%84%9C\\_oracle\\_rac\\_jndi\\_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0?rev=1423470657](https://atl.kr/dokuwiki/doku.php/tomcat_%EC%97%90%EC%84%9C_oracle_rac_jndi_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0?rev=1423470657)

Last update: 2015/06/18 15:49

