

Tomcat Connector SecretRequired 3

..... 3

..... 3

Tomcat Connector SecretRequired

Apache Tomcat 8.5.x	AJP Connector	secretRequired	true
.	secret	.	.
• secret	가	.	null
secretRequired 가	false	가 0	가 0
worker	.	secretRequired	.
• secretRequired	true	가 0	.
AJP 가	.	AJP	가
false	true	.	.
secretRequired=true	secret	WEB-WAS	secret

AJP Connector secret=VALUE

```
<Connector port="8009"
  secretRequired="true"      <- 8.5.x      true
  가
  secret="itismysecretkey"  <- secret
  protocol="AJP/1.3"
  redirectPort="8443" />
```

workers.properties secret

```
worker.balancer.balance_workers=node11
worker.node11.reference=worker.template
worker.node11.host=127.0.0.1
worker.node11.port=8009
worker.node11.activation=A
worker.node11.secret=itismysecretkey      <- secret
```

- <http://tomcat.apache.org/tomcat-8.5-doc/config/ajp.html>
- <https://nirsa.tistory.com/158>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/tomcat_connector_secretrequired

Last update: **2020/05/15 06:19**

