

VirtualHost mod_cluster 3
apache virtual host configuration 3
JBoss EAP 3

VirtualHost mod_cluster

Apache WEB
JBoss EAP

VirtualHost

mod_cluster

apache virtual host configuration

```
<VirtualHost *:80>
  ServerAdmin webmaster@dummy-host.example.com
  DocumentRoot var/www
  ServerName service.net
  ServerAlias www.service.net service.net
  ErrorLog logs/service.net-error_log
  CustomLog logs/service.net-access_log common

  ProxyPassMatch ^(/resources/.*)$ !
  ProxyPassMatch ^(/survey/.*)$ !
  ProxyPassMatch ^(/publishing/.*)$ !

  # balancer1
  ProxyPass          / balancer://balancer1/
  ProxyPassReverse  / balancer://balancer1/

</VirtualHost>

<VirtualHost *:80>
  ServerAdmin webmaster@dummy-host.example.com
  DocumentRoot var/www
  ServerName test.service.net
  ErrorLog logs/test.service.net-error_log
  CustomLog logs/test.service.net-access_log common

  # test2          balancer2
  ProxyPass        / balancer://balancer2/
  ProxyPassReverse / balancer://balancer2/

</VirtualHost>
```

JBoss EAP

balancer="balancer2" 가 . 가 EAP

```
<subsystem xmlns="urn:jboss:domain:modcluster:1.2">
```

```
<mod-cluster-config advertise-socket="modcluster" proxy-  
list="192.168.0.71:6666" balancer="balancer2" connector="ajp">  
  <dynamic-load-provider>  
    <load-metric type="busyness"/>  
  </dynamic-load-provider>  
</mod-cluster-config>  
</subsystem>
```

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/virtualhost%EB%B3%84_mod_cluster_%EC%97%B0%EB%8F%99%EB%B0%A9%EB%B2%95

Last update: 2017/11/09 05:01

