

WAS 3

Tomcat 3

Open Liberty by IBM Open Source 3

JBoss EAP / Wildfly 3

 JBoss EAP 6.x / JBoss AS 7 4

 JBoss EAP 7.x / Wildfly 10+ 4

Eclipse GlassFish 4

Payara 5

Weblogic 5

APM Tool 5

 5

 5

 5

SSO(Single Sign-On) 5

WAS

- [WAS](#)
 - [Java JDK - openJDK](#)
-

- - [Session Cookie Domain](#)
 - [HA Datasource](#)
 - [JVM Configure](#)
 - <https://johngrib.github.io/wiki/java-gc-tuning/>
-

- [Multicasting Test](#)

Tomcat

<https://tomcat.apache.org>

- [Tomcat General Configuration](#)
- [Tomcat Clustering](#)
- [JSESSIONID sessionCookieName](#)
- [Tomcat Oracle RAC JNDI](#)
- [Reloadable development mode](#)
- [Tomcat](#)
- [Tomcat log rotate](#)
- [HTTP Cookie](#)
- [Tomcat](#)
- [Tomcat Connector secretRequired](#)

Open Liberty by IBM Open Source

- <https://openliberty.io>

JBoss EAP / Wildfly

[JBoss Tip & Tech](#),

- [JBoss EAP - Wildfly Version](#)
 - [JBoss EAP General configuration script](#)
 - [Session Timeout](#)
-

- [EAP 6 setting up node identifier for JTA transactions](#)
- [JGroups UDP Multicast Test](#)
- [Deployment Order](#)
- [JBoss Patch](#)
- [JBoss EAP 6/7 External module Directory](#)
- [JBoss limit](#)
- [Session Cookie name](#)
- [Jboss with WebSocket](#)
- [JBoss Configuration](#)
- [Override logging in WildFly/JBoss](#)
- [JBoss EAP 6/7 Clustering](#)
- [Context Root](#)
- [No message found under code 'XXX' for locale 'ko'](#)
- [jboss-deployment-structure.xml](#)
- [unmanaged deployment](#)

JBoss EAP 6.x / JBoss AS 7

- [JBoss EAP 6.x - System properties](#)
- [JBoss EAP 6.x - Standalone Session Clustering](#)
- [JBoss EAP 6.x - JBoss EAP 6.x - Apache HTTPD 2.2.x + mod_cluster 1.2.x Session Clustering](#)
- [JBoss EAP 6.x Global Module 가](#)
- [JBoss EAP 6.x Module 가](#)
- [JBoss EAP 6.x Spring Framework Global Module](#)
- [JBoss EAP 6.x Bind Address](#)
- [JBoss EAP 6.x JGRP000014 Socket Buffer WARN](#)
- [JBoss EAP 6.x JSP Hot Deploy](#)
- [JBoss EAP 6.x max post size](#)
- [Failed to parse XML descriptor spring-modules-validation-0.9.jar/META-INF/valang.tld](#)
- [JBoss EAP 6.x Access log](#)
- [JBoss EAP 6.x Datasource SPY logging](#)
- [JBoss EAP 6.x TCP clustering](#)

JBoss EAP 7.x / Wildfly 10+

- [JBoss EAP 7 Tuning CLI script](#)
- [JBoss EAP 7 System properties Migration](#)
- [JBoss EAP 7 JGroup](#)
- [JBoss EAP 7 Hot Deploy / Development mode](#)
- [JBoss EAP 7 TCP clustering](#)
- [JBoss EAP 7 welcome-root](#)
- [JBoss EAP 7 Reverse Proxy](#)
- [JBoss EAP 7 JDBC Global module](#)
- [JBoss EAP 7 instance-id / jvmRoute](#)

Eclipse GlassFish

- <https://glassfish.org/>

Payara

- <https://www.payara.fish/>

Weblogic

-

APM Tool


- [BCI - The Power of Bytecode Instrumentation in Java](#)
- <http://blog.takipi.com/java-performance-monitoring-5-open-source-tools-you-should-know/>

- [scouter https://github.com/scouter-project/scouter](https://github.com/scouter-project/scouter)
- [Pinpoint https://github.com/naver/pinpoint](https://github.com/naver/pinpoint)

- [:: http://www.jennifersoft.com](http://www.jennifersoft.com)
- [:: http://www.ex-em.com](http://www.ex-em.com)
- [APM :: http://www.whatap.io](http://www.whatap.io)
- [:: http://www.dabomsoft.com](http://www.dabomsoft.com)
- [APM :: http://www.opennaru.com](http://www.opennaru.com)
- [:: http://www.elevisor.com](http://www.elevisor.com)
- [:: http://appinsightor.com](http://appinsightor.com)
- [TunA :: LGCNS http://www.mashup-plus.com/smp/service/detail/retrieveDetailService.do?appld=10044&estimateFocus=](http://www.mashup-plus.com/smp/service/detail/retrieveDetailService.do?appld=10044&estimateFocus=)
- <http://www.watchtek.co.kr>
- [:: http://www.misoinfo.co.kr](http://www.misoinfo.co.kr)
- [:: http://www.edsk.co.kr](http://www.edsk.co.kr)
- [:: http://www.osci.kr](http://www.osci.kr)

SSO(Single Sign-On)

- keycloak - <https://www.keycloak.org/> (RedHat SSO)



From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

<https://atl.kr/dokuwiki/doku.php/was%EC%84%9C%EB%B2%84?rev=1643108099>

Last update: **2022/01/25 10:54**

