

**WAS** ..... 3

**Tomcat** ..... 3

**Open Liberty by IBM Open Source** ..... 3

**JBoss EAP / Wildfly** ..... 3

        JBoss EAP 6.x / JBoss AS 7 ..... 4

        JBoss EAP 7.x / Wildfly 10+ ..... 4

**Eclipse GlassFish** ..... 5

**Payara** ..... 5

**Weblogic** ..... 5

**APM Tool** ..... 5

        ..... 5

        ..... 5

        ..... 5

**SSO(Single Sign-On)** ..... 5



# WAS

- [WAS](#)
  - [Java JDK - openJDK](#)
- 

- - [Session Cookie Domain](#)
  - [HA Datasource](#)
  - [JVM Configure](#)
  - <https://johngrib.github.io/wiki/java-gc-tuning/>
- 

- [Multicasting Test](#)

## Tomcat

<https://tomcat.apache.org>

- [Tomcat General Configuration](#)
- [Tomcat Clustering](#)
- [JSESSIONID sessionCookieName](#)
- [Tomcat Oracle RAC JNDI](#)
- [Reloadable development mode](#)
- [Tomcat](#)
- [Tomcat log rotate](#)
- [HTTP Cookie](#)
- [Tomcat](#)
- [Tomcat Connector secretRequired](#)

## Open Liberty by IBM Open Source

- <https://openliberty.io>

## JBoss EAP / Wildfly

[JBoss Tip & Tech](#),

---

- [JBoss EAP - Wildfly Version](#)
  - [JBoss EAP General configuration script](#)
  - [JBoss Systemd](#)
-

- [Session Timeout](#)
- [EAP 6 setting up node identifier for JTA transactions](#)
- [JGroups UDP Multicast Test](#)
- [Deployment Order](#)
- [JBoss Patch](#)
- [JBoss EAP 6/7 External module Directory](#)
- [JBoss limit](#)
- [Session Cookie name](#)
- [Jboss with WebSocket](#)
- [JBoss Configuration](#)
- [Override logging in WildFly/JBoss](#)
- [JBoss EAP 6/7 Clustering](#)
- [Context Root](#)
- [No message found under code 'XXX' for locale 'ko'](#)
- [jboss-deployment-structure.xml](#)
- [unmanaged deployment](#)

## JBoss EAP 6.x / JBoss AS 7

- [JBoss EAP 6.x - System properties](#)
- [JBoss EAP 6.x - Standalone Session Clustering](#)
- [JBoss EAP 6.x - JBoss EAP 6.x - Apache HTTPD 2.2.x + mod\\_cluster 1.2.x Session Clustering](#)
- [JBoss EAP 6.x Global Module 가](#)
- [JBoss EAP 6.x Module 가](#)
- [JBoss EAP 6.x Spring Framework Global Module](#)
- [JBoss EAP 6.x Bind Address](#)
- [JBoss EAP 6.x JGRP000014 Socket Buffer WARN](#)
- [JBoss EAP 6.x JSP Hot Deploy](#)
- [JBoss EAP 6.x max post size](#)
- [Failed to parse XML descriptor spring-modules-validation-0.9.jar/META-INF/valang.tld](#)
- [JBoss EAP 6.x Access log](#)
- [JBoss EAP 6.x Datasource SPY logging](#)
- [JBoss EAP 6.x TCP clustering](#)

## JBoss EAP 7.x / Wildfly 10+

- [JBoss EAP 7 Tuning CLI script](#)
- [JBoss EAP 7 System properties Migration](#)
- [JBoss EAP 7 JGroup](#)
- [JBoss EAP 7 Hot Deploy / Development mode](#)
- [JBoss EAP 7 TCP clustering](#)
- [JBoss EAP 7 welcome-root](#)
- [JBoss EAP 7 Reverse Proxy](#)
- [JBoss EAP 7 JDBC Global module](#)
- [JBoss EAP 7 instance-id / jvmRoute](#)
- [JBoss EAP 7 Stuck Thread Detection](#)
- [JBoss EAP 7 parameter size](#)
- [JBoss EAP 7 max-post-size](#)

## Eclipse GlassFish

- <https://glassfish.org/>

## Payara

- <https://www.payara.fish/>

## Weblogic

- 

## APM Tool

- BCI - The Power of Bytecode Instrumentation in Java
- <http://blog.takipi.com/java-performance-monitoring-5-open-source-tools-you-should-know/>

- scouter <https://github.com/scouter-project/scouter>
- Pinpoint <https://github.com/naver/pinpoint>

- :: <http://www.jennifersoft.com>
- :: <http://www.ex-em.com>
- APM :: <http://www.whatap.io>
- :: <http://www.dabomsoft.com>
- APM :: <http://www.opennaru.com>
- :: <http://www.elevisor.com>
- :: <http://appinsightor.com>
- TunA :: LGCNS  
<http://www.mashup-plus.com/smp/service/detail/retrieveDetailService.do?appId=10044&estimateFocus=>
- <http://www.watchtek.co.kr>
- :: <http://www.misoinfo.co.kr>
- :: <http://www.edsk.co.kr>
- :: <http://www.osci.kr>

## SSO(Single Sign-On)

- keycloak - <https://www.keycloak.org/> (RedHat SSO)

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

<https://atl.kr/dokuwiki/doku.php/was%EC%84%9C%EB%B2%84?rev=1673263386>

Last update: **2023/01/09 11:23**

