

WAS

- 3
- 3
- 3
- 3
- 4

was_
Last
update: - https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1528093583
2018/06/04 -
06:26 -

WAS

JBoss EAP 6.x

- SERVER

SERVER `org.apache.coyote.http11.Http11Protocol.SERVER` Property 가 .

```
org.apache.coyote.http11.Http11Protocol.SERVER="foo"
```

```
<system-properties>
  <property name="org.apache.coyote.http11.Http11Protocol.SERVER"
value="foo"/>
</system-properties>
```

- X-PoweredBy

X-PoweredBy JBoss .

```
/subsystem=web/configuration=jsp-configuration/:write-attribute(name=x-
powered-by,value=false)
{
  "outcome" => "success",
  "response-headers" => {
    "operation-requires-reload" => true,
    "process-state" => "reload-required"
  }
}
```

가 .

```
<subsystem xmlns="urn:jboss:domain:web:1.1" default-virtual-server="default-host" native="false">
    <configuration>
        <jsp-configuration x-powered-by="false"/>
    </configuration>
    ...
    ...
</subsystem>
```

JBoss EAP 7.x

- Server: JBoss-EAP/7 X-Powered-By: Undertow/1

CLI

```
/subsystem=undertow/server=default-server/host=default-host/filter-ref=x-powered-by-header:remove
/subsystem=undertow/server=default-server/host=default-host/filter-ref=server-header:remove
```

CLI

```
/subsystem=undertow/configuration=filter/response-header=server-header:write-attribute(name=header-value,value=foo)
/subsystem=undertow/configuration=filter/response-header=x-powered-by-header:write-attribute(name=header-value,value=bar)
```

- X-Powered-By: JSP/2.3

CLI

```
/subsystem=undertow/servlet-container=default/setting=jsp:write-attribute(name=x-powered-by,value=false)
```

- <https://access.redhat.com/solutions/21075>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1528093583

Last update: **2018/06/04 06:26**

