

WAS	3
	3
	3
	3
	5
<i>Directory Listing</i>	5

was_
Last update: https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1573704270
2019/11/14 04:04 -

WAS

Tomcat

server.xml connector server 가 . xpoweredBy="false" 가
 false가

```
<Connector port="8080" protocol="HTTP/1.1"
           connectionTimeout="20000"
           redirectPort="8443"
           server="bar"
           xpoweredBy="false"
           />
```

X-Powered-By 가

web.xml

가

tomcat 6

가



```
<init-param>
    <param-name>xpoweredBy</param-name>
    <param-value>false</param-value>
</init-param>
```

JBoss EAP 6.x

- SERVER

SERVER

org.apache.coyote.http11.Http11Protocol.SERVER Property

```
Last          was_
update:      - https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1573704270
2019/11/14   -
04:04       -
```

```
org.apache.coyote.http11.Http11Protocol.SERVER="foo"
```

```
<system-properties>
    <property name="org.apache.coyote.http11.Http11Protocol.SERVER"
value="foo"/>
</system-properties>
```

- X-PoweredBy

X-PoweredBy JBoss

```
/subsystem=web/configuration=jsp-configuration/:write-attribute(name=x-
powered-by,value=false)
{
    "outcome" => "success",
    "response-headers" => {
        "operation-requires-reload" => true,
        "process-state" => "reload-required"
    }
}
```

가 .

```
<subsystem xmlns="urn:jboss:domain:web:1.1" default-virtual-server="default-
host" native="false">
    <configuration>
        <jsp-configuration x-powered-by="false"/>
    </configuration>
    ...
    ...
</subsystem>
```

JBoss EAP 7.x

- Server: JBoss-EAP/7 X-Powered-By: Undertow/1

CLI

```
/subsystem=undertow/server=default-server/host=default-host/filter-ref=x-powered-by-header:remove
/subsystem=undertow/server=default-server/host=default-host/filter-ref=server-header:remove
```

CLI

```
/subsystem=undertow/configuration=filter/response-header=server-header:write-attribute(name=header-value,value=foo)
/subsystem=undertow/configuration=filter/response-header=x-powered-by-header:write-attribute(name=header-value,value=bar)
```

- X-Powered-By: JSP/2.3

CLI

```
/subsystem=undertow/servlet-container=default/setting=jsp:write-attribute(name=x-powered-by,value=false)
```

- <https://access.redhat.com/solutions/21075>
- <https://tomcat.apache.org/tomcat-8.0-doc/security-howto.html#Connectors>
- <https://access.redhat.com/solutions/2740891>

Directory Listing

Tomcat

- <https://tomcat.apache.org/tomcat-9.0-doc/default-servlet.html>

Tomcat 9

web.xml

listings false

```
<servlet>
    <servlet-name>default</servlet-name>
    <servlet-class>
        org.apache.catalina.servlets.DefaultServlet
    </servlet-class>
    <init-param>
        <param-name>debug</param-name>
```

Last update: 2019/11/14 04:04

was_

https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1573704270

```
<param-value>0</param-value>
</init-param>
<init-param>
    <param-name>listings</param-name>
    <param-value>false</param-value>
</init-param>
<load-on-startup>1</load-on-startup>
</servlet>
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/was_%EB%B3%B4%EC%95%88_%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80?rev=1573704270

Last update: 2019/11/14 04:04

