

Zabbix install on Debian 11 3
date.timezone 3

Zabbix install on Debian 11

```

root@mon:~# apt install zabbix-server-mysql zabbix-frontend-php

root@mon:~# a2enconf zabbix-frontend-php
Enabling conf zabbix-frontend-php.
To activate the new configuration, you need to run:
  systemctl reload apache2
root@mon:~# systemctl restart apache2

```

<http://server/zabbix/> URL 가 .

date.timezone

2가 가 . apache .

php.ini date.timezone 가 .

```

root@mon:~# vim /etc/php/7.4/apache2/php.ini

[Date]
; Defines the default timezone used by the date functions
; http://php.net/date.timezone
date.timezone = Asia/Seoul

```

zabbix php_value .

/etc/apache2/conf-available/zabbix-frontend-php.conf php_value
date.timezone Asia/Seoul 가 .

```

<IfModule mod_php5.c>
  php_value max_execution_time 300
  php_value memory_limit 128M
  php_value post_max_size 16M
  php_value upload_max_filesize 2M
  php_value max_input_time 300
  php_value always_populate_raw_post_data -1
  # php_value date.timezone Asia/Seoul # <-
</IfModule>

<IfModule mod_php7.c>
  php_value max_execution_time 300
  php_value memory_limit 128M
  php_value post_max_size 16M

```

```
php_value upload_max_filesize 2M
php_value max_input_time 300
# php_value date.timezone Asia/Seoul # <- .
</IfModule>
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/zabbix_install_on_debian_11?rev=1631934972

Last update: **2021/09/18 03:16**

